

A Long-term Retrospective Real-World Evidence to Understand the Pattern of Insulin Prescription in Patients with Type 2 Diabetes (T2d) -Insulinitiation Study

Shishir Kumar*

Department of Paediatrics, Chief Diabetologist, Bombay Hospital, Mumbai, India

Abstract

Background: Rationale use of insulin and oral anti-diabetic medications (OADs) improves glycaemic control.

Aims and objective: Evaluate the ef cacy and prescription pattern of anti-diabetic medications in achieving glycaemic control among people attending a tertiary care centre in India.

Materials and methods: This cross-sectional observational study was conducted on people with diabetes (PwD) over 9 years. Demographic profiles, anthropometry, biochemical parameters [I -

j**uuuu**uuuiniga 26 Ojehtijatus 1729 Sectendeljeig epilydelipsisiji∩O titutuutja kuuputjato kuuputjato Na

Page 5 of 5

l **tili poloji ji**lo

Handa Hand and e

(COLUCIA)

Limitations of the Study

e pşibibib n is şilg a
ejjideljete

Conclusion

Plysights Eq.(5,1) Eq.(5

Acknowledgement

ð

Con ict of Interest

ð

References

- 1. Bidaisee S, Macpherson CNL (2014) Zoonoses and one health: a review of the literature. J Parasitol 2014: 1-8.
- Cooper GS, Parks CG (2004) Occupational and environmental exposures as risk factors for systemic lupus erythematosus. Curr Rheumatol Rep EU 6: 367-374.
- 3. Parks CG, Santos ASE M