

A Review on the Sex Difference in Lipotoxicity in Peripheral Nerves

Masahiro Ogawa*

Life Science Research Institute, Kumiai Chemical Industry, Shizuoka, Japan

***Corresponding author:** Masahiro Ogawa, Life Science Research Institute, Kumiai Chemical Industry, Shizuoka, Japan, Tel: +81537353160; E-mail: m-ogawa@kumiai-chem.co.jp

Received date: March 05, 2021;

acids induced protein expression of BAX and the number of apoptotic cells [19]. By contrast, mice fed the HFD have reduced hepatic autophagy [20]. The HFD inhibits autophagy in cardiomyocytes. Therefore, the mixtures of saturated and unsaturated fatty acids probably induce apoptosis but not autophagy

Sex Difference in Lipotoxicity in Peripheral Nerves

Sex hormones, such as estrogen, progesterone, and androgen, contribute to the sex differences in metabolism between males and females and are responsible for sex-specific differences. The pathogenesis of neuropathy is enhanced in the sciatic nerves of male mice fed the HFD. Male mice are more vulnerable than the females to the impacts of the HFD on weight gain, metabolic alterations and deficits of learning, and hippocampal synaptic plasticity. Male rats with diabetes have a higher frequency of neuropathy than female rats with diabetes [21]. Similarly, male mice develop a greater extent of diabetes-induced cognition deficits and peripheral neurovascular dysfunction than female mice [22]. In our recent study, HFD induced apoptosis in the sciatic nerves of males, but not females. Therefore, these indicate that there is a sex difference in peripheral neuropathy.

In ovariectomized females fed the HFD, the levels of the apoptosis-related genes were increased compared to ovariectomized mice fed a normal diet. In contrast, the replacement of estrogen, a female hormone, in ovariectomized mice abolished the HFD-induced mRNA levels of two apoptosis-related genes. Thus, it is assumed that estrogen has prevented the cell damage of central and peripheral nerves.

The Role of Estrogen Receptor Isoform in the Peripheral Nerve Injury by Lipotoxicity

8. Robison LS, Albert NM, Camargo LA, Anderson BM, Salinero et al (2020) High-fat diet-induced obesity causes sex-specific deficits in adult hippocampal neurogenesis in mice. *ENEURO*. 7: 0391-0319.
9. Morselli E, Frank AP, Palmer BF, Rodriguez-Navas C, Criollo A, et al (2016) A sexually dimorphic hypothalamic response to chronic high-fat diet consumption. *Int J Obes (Lond)*. 40: 206-209.
10. Ogawa M, Kimura T, Tanetani Y, Hori M, Kyoya T, et al (2020) Sex differences in the effects of high-fat diet on mouse sciatic nerves. *Fundam Toxicol Sci*. 7: 133-139.
11. Peltier AC, Russell JW (2006) Advances in understanding drug-induced neuropathies. *Drug Saf*. 29: 23-30.
12. Nixon RA, Yang DS (2012) Autophagy and neuronal cell death in neurological disorders. *Cold Spring Harb Perspect Biol*. 4: a008839.
13. Ogawa M, Kimura T, Kitamoto J, Takeda T, Kitazumi K, Kyoya T, Terada M (2020) A screening system for detection of neurotoxic potency of chemicals using in vitro model. *Toxicol Int*. 27: 44-53
14. Mei S, Ni HM, Manley S, Bockus A, Kassel KM, et al (2011) Differential roles of unsaturated and saturated fatty acids on autophagy and apoptosis in hepatocytes. *J Pharmacol Exp Ther*. 339: 487-498.
15. Niso-Santano M, Malik SA, Pietrocola F, Bravo-San Pedro JM, Mariño G, et al (2015) Unsaturated fatty acids induce non-canonical autophagy. *EMBO J*. 34: 1025-1041.
16. Ogawa M, Kyoya T, Kimura T, Terada M (2020) Effects of estrogen on fatty-acid-induced cytotoxicity in mouse Neuro-2a neural cells. *Fundam Toxicol Sci*. 7: 115-121.
17. Wang Y, Ausman LM, Russell RM, Greenberg AS, Wang XD (2008) Increased apoptosis in high-fat diet-induced nonalcoholic steatohepatitis in rats is associated with c-Jun NH2-terminal kinase activation and elevated proapoptotic Bax. *J Nutr*. 138: 1866-1871.
18. Hsu HC, Chen CY, Lee BC, Chen MF (2016) High-fat diet induces cardiomyocyte apoptosis via the inhibition of autophagy. *Eur J Nutr*. 55: 2245-2254.
19. Yuan Q, Zhao S, Wang F, Zhang H, Chen ZJ, et al (2013) Palmitic acid increases apoptosis of neural stem cells via activating c-Jun N-terminal kinase. *Stem Cell Res*. 10: 257-266.
20. Liu HY, Han J, Cao SY, Hong T, Zhuo D, et al (2009) Hepatic autophagy is suppressed in the presence of insulin resistance and hyperinsulinemia: inhibition of FoxO1-dependent expression of key autophagy genes by insulin. *J Biol Chem*. 284: 31484-31492.
21. Stenberg L, Dahlin LB (2014) Gender differences in nerve regeneration after sciatic nerve injury and repair in healthy and in type 2 diabetic Goto-Kakizaki rats. *BMC Neurosci*. 15: 107.
22. Fan B, Liu XS, Szalad A, Wang L, Zhang R, et al (2018) Influence of sex on cognition and peripheral neurovascular function in diabetic mice. *Front Neurosci*. 12: 795.
23. Li D, Chen J, Ai Y, Gu X, Li L, et al (2019) Estrogen-related hormones induce apoptosis by stabilizing schlafen-12 protein turnover. *Mol Cell*. 75: 1103-1116.
24. Broughton BR, Brait VH, Guida E, Lee S, Arumugam TV, et al (2013) Stroke increases g protein-coupled estrogen receptor expression in the brain of male but not female mice. *Neurosignals*. 21: 229-239.
25. Gu Y, Wu Y, Su W, Xing L, Shen Y, et al (2018) 17 β -Estradiol enhances schwann cell differentiation via the erk1/2 signaling pathway and promotes remyelination in injured sciatic nerves. *Front Pharmacol*. 9: 1026.
26. Ryter SW, Kim HP, Hoetzel A, Park JW, Nakahira K, et al (2007) Mechanisms of cell death in oxidative stress. *Antioxid Redox Signal*. 9: 49-89.
27. Yang Y, Jiang G, Zhang P, Fan J (2015) Programmed cell death and its role in inflammation. *Mil Med Res*. 2: 12.
28. Spence RD, Wisdom AJ, Cao Y, Hill HM, Mongerson CR, et al (2013) Estrogen mediates neuroprotection and anti-inflammatory effects during EAE through ER α signaling on astrocytes but not through ER β signaling in astrocytes. *J Neurosci*. 33: 10053-10063.