

"EEJOH & \$JHBSFUUFT UP 4QFDJBMJTU 4UPQ 4NFI 1JMPU 1SPKFDU

Hajek P¹, Corbin L², Ladmore D^{1*} and Spearing E¹

¹Health and Lifestyle Research Unit & UK Centre for Tobacco and Alcohol Studies, Wolfson Institute of Preventive Medicine, Queen Mary University of London, UK

basic EVOD tank system with 1.8% per ml nicotine e-liquid. Gamucci is a popular middle-of-the-range product and EVOD is a standard reliable product. The EVOD's were later replaced with an Aspire product due to issues with leakage from the cheap EVOD model. The total cost of supplies purchased to provide EC for 120 smokers was £2,995, i.e. £25 per client. (For comparison, in the UK, the cost of 3-months of NRT to the National Health Service (NHS) is about £90 per client with single NRT (SSS typically use two types of NRT concurrently) and the cost of 3-months of varenicline is about £160 per client).

Definition of abstinence

Abstinence rates were established as per Russell Standard [13] with participants lost to follow-up included as non-abstainers. Self-reported abstinence was biochemically validated via monitoring carbon monoxide (CO) levels in end-expired breath using a cut-off point on 9ppm currently in place within the UK stop-smoking services.

inhalers has dropped by at least 50% I would say if not ~~more~~
46, *Aspire User Only*.

“10 times better than patches” ~~Female~~, 58, *Gamucci User Only*.

It is however important to note that end-of-treatment feedback has

17. Koegelenberg CF, Noor F1, Bateman ED2, van Zyl-Smit RN2, Bruning A3, et al. (2015) Varenicline plus nicotine replacement therapy vs varenicline alone for smoking cessation: a randomized clinical trial. *JAMA* 312: 155-161.
 18. Rose JE (2011) Nicotine preloading: the importance of a pre-cessation reduction in smoking behavior. *Psychopharmacology (Berl)* 217: 453-454.
 19. Hajek P, McRobbie H, Gillison F (2007) Dependence potential of nicotine replacement treatments based on 5HPTU-C type, dose, and cost to user. *Prev Med* 44: 230-234.
 20. Bullen C, Howe C, Laugesen M, McRobbie H, Parag V, et al. (2013) Electronic cigarettes for smoking cessation: a randomised controlled trial. *Lancet* 382: 1629-1637.
-