

Affinity of a Drug for and Residence Time at its Target

Dimitrios L Kalpaxis*

Department of Biochemistry, School of Medicine, University of Patras, Greece

***Corresponding author:** Dimitrios L. Kalpaxis, Department of Biochemistry, School of Medicine, The University of Patras, 26504-Patras, Greece, Tel: +302610996124; E-mail: dimkal@med.upatras.gr

Received February 04, 2014 **Accepted** February 07, 2014 **Published** February 10, 2014

Citation: Kalpaxis DL (2014) Affinity of a Drug for and Residence Time at its Target. J Community Med Health Educ S2: e001. doi:10.4172/2161-0711.S2-e001

Copyright: © 2014 Kalpaxis DL. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

- optimization of drug-target residence time: insights from inhibitor binding to Staphylococcus aureus FabI enzyme-product complex. *Biochemistry* 52: 4217-4228.
7. Xie Y, Wang J, Li J, et al. (2014) Optimization of drug-target residence time: insights from inhibitor binding to Staphylococcus aureus FabI enzyme-product complex. *Biochemistry* 52: 4217-4228.
 9. Kapur S, Seeman P (2000) Antipsychotic agents differ in how fast they come off the dopamine D2 receptors. Implications for atypical antipsychotic action. *Expert Opin Drug Discov* 5: 927-941.