

Editorial OMICS International

Apoptosis in Neurodegenerative Disease, Myocardial Infarction and in Cancer

Sarbashri Bank*1, Smarajit Maiti¹ and Asru K Sinha²

*Corresponding author: Sarbashri Bank, DST Inspire SRF, Department of Biochemistry, Vidyasagar University, Midnapur, India, Tel: 91 8981719523; E-mail: sbank.biochem@gmail.com

Received December 30, 2016; Accepted January

- Bank S, Maiti S, Guha S, Sinha AK (2016) TRIAD system catalase, insulin, and low dose aspirin neutralize the effect of dermcidin isoform-2 and prevent cell death in acute myocardial infarction and recurrence of the disease. Cardiol J 23: 623-625.
- Greijer AE, Vander WE (2004) The role of hypoxia inducible factor 1 (HIF-1) in hypoxia induced apoptosis. J Clin Pathol 57: 1009-1014.
- Bank S, Jana P, Maiti S, Guha S, Sinha AK (2014) Dermcidin isoform-2 induced nullif cation of the effect of acetyl salicylic acid in platelet aggregation in acute myocardial infarction. Sci Rep 4: 5804.
- Ghosh R (2011) The appearance of dermcidin isoform 2, a novel platelet aggregating agent in the circulation in acute myocardial infarction that inhibits
- insulin synthesis and the restoration by acetyl salicylic acid of its effects. J Thromb Thrombolysis $31\colon 13\text{-}21.$
- Mannick JB, Miao XQ, Stamler JS (1997) Nitric oxide inhibits Fas-induced apoptosis. J Biol Chem 272: 24125-24128.
- 11. Si R, Tao L, Zhang HF, Yu QJ, Zhang R, et al. (2011) Survivin a novel player in