

## Assessment of Proportion of Birth Asphyxia and its Associated Factors among Newborns Delivered in Public Hospitals in Addis Ababa, Ethiopia, 2019/ 2020 .A Cross-Sectional Study

Yohannes Godie<sup>1\*</sup>, Hedija Yenus<sup>2</sup>, Fentahun Ayenew<sup>3</sup>, Dires Birhanu<sup>4</sup> and Yitayal Guadie<sup>5</sup>

<sup>1</sup>Department of Nursing, Gandhi Memorial hospital, Addis Ababa

<sup>2</sup>Department of reproductive health, Institute of Public Health, College of Medicine and Health Science, University of Gondar

<sup>3</sup>Department of Epidemiology, Institute of Public Health, College of Medicine and Health Science, University of Gondar

<sup>4</sup>Department of Nursing, Collage of health Science, Dilla University

<sup>5</sup>Department of Anaesthesia, School of Medicine, Debre Markos University

### Abstract

#### Background:

**Citation:** Godie Y, Yenus H, Ayenew F, Birhanu D, Guadie Y (2022) Assessment of Proportion of Birth Asphyxia and its Associated Factors among Newborns Delivered in Public Hospitals in Addis Ababa, Ethiopia, 2019/ 2020 .A Cross-Sectional Study. *Neonat Pediatr Med* 8: 260.



