Autism Signs Typically Manifest within the Initial Two Years of a Person's Life, although they can be Identified at any Stage

Ulrich Kutschera*

Abstract

Individuals with autism spectrum disease (ASD) have social interplay and verbal exchange challenges due to a disruption in Genius improvement that infuences how they pick out and have interaction with others. The signs of autism frequently current themselves inside the frst two years of an individual's lifestyles however can be recognized at any time. The ASD concept suggests that the onset of signs takes place in early childhood and persists till younger adulthood. Machine gaining knowled sOw = gat e

Learning (ML) techniques and technologies, along with Naive Bayes (NB) classifers, Logistic Regression (LR), Support Vector Machine (SVM), and Random Forest (RF) to analyse and predict.

 Keywords: A
 (ASD); D
 ; K-M

 F
 E
 ; N

 Introduction

 ASD
 (
 12 36)
)
 (

 12 18)
 - ASD .I
 .I

12 18) - ASD .1
, - ASD .1
, - ASD .1
, - ASD .1
A S D .2013 A P A S D .2013 A P A ASD .2013 A S D .3
A S D .5

Discussion

ASD. A , ASD , ASD , , C , C , T S D S

ODD , , , S ASD, ODD

Citation: Kutschera U

, ASD. F ,
ASD . A ASD . A ASD . ()5(_) T⊠

Citation: Kutschera U