

Bioremediation of Tannery Effluents for Sustainable Production of Leather in Uganda: Literature Review

Michael Kiraye^{1*}, William Wanasolo¹, Rosemary Nalwanga² and Mwinyikione Mwinyihija³

¹*Department of Chemistry, Kyambogo University, Kyambogo, Kampala, Uganda*

²*Department of Zoology, Makerere University, Kampala, Uganda*

³*COMESA-Leather and Leather Products Institute, Addis Ababa, Ethiopia*

***Corresponding author:** Michael Kiraye, Department of Chemistry, Kyambogo University, Kyambogo, Kampala, Uganda, Tel: +256714358253; E-mail: 3ZM 1M

used to clean up Canada's DEW line sites in the arctic and has been used to clean up U Yf oil spills c of Alaska [18].

Measuring extent of bioremediation

In several studies for example Tang et al. [19], McCullough et al. [7]

BOD5, mg/l	7920	10780	4200	3880	5700	12970	2230	2517	3607
O &G, mg/l	243	828	199	148	412	480	0	114	200
S ₂ , mg/l	5	3660*	430						

Methods

Literature search strategy

Relevant literature was selected from PubMed and google scholar

12. Boopathy R (2000) Factors limiting bioremediation technologies. *Bioresour Technol* 74: 63-67.
13. Hoepfel RE, Hinchee RE, Arthur MF (1991) Bioventing soils contaminated with petroleum hydrocarbons. *J Ind Microbiol* 8: 141-146
14. Benner ML, Stanford SM, Lee LS, Mohtar RH (2000) Field and numerical analysis of in-situ air sparging: a case study. *J Hazard Mater* 72: 217-236
15. Corseuil HX, Alvarez PJ (1996) Natural bioremediation perspective for BTX-contaminated groundwater in Brazil: Y_W of ethanol. *Water Sci Technol* 34: 311-318
16. Malik AH, Khan ZM, Mahmood Q, Nasreen S, Bhatti ZA (2009) Perspectives of low cost arsenic remediation of drinking water in Pakistan and other countries. *J Hazard Mater* 168: 1-12
17. Zhou Y, Yang H, Hu H, Liu Y, Mao Y, et al. (2006) Bioremediation potential of the macroalga *Gracilaria lemaneiformis* (Rhodophyta) integrated into fed g_o culture in coastal waters of north China. *Aquaculture* 252: 264-276
18. Poland JS, Mitchell S, Rutter A (2001) Remediation of former military bases in the Canadian Arctic. *Cold Reg Sci Technol* 32: 93-105
19. Tang L, Zeng G, Liu J, Xu X, Zhang Y, et al. (2008) Catechol determination in compost bioremediation using a laccase sensor and Uffj WU neural networks. *Anal Bioanal Chem* 391: 679-685
20. Kasiri S, Douidi M, Tabatabaee M (2016) Bioremediation of Wastewater Contaminated by Crude Oil by Bacillus Isolated from Esfahan Oil FY bYfirñ
21. Mwinyihija M, Strachan NJC, Meharg AA, Killham KS (2005) Biosensor based toxicity dissection of tannery and associated environmental samples. *Journal of the American Leather Chemists Association* 100: 380-395
22. Bosch ME, Sánchez AJR, Rojas FS, Ojeda CB (2007) Recent development in optical Wf biosensors. *Sensors* 7: 797-859
23. Nobile J, Roth T, Rearick T, Schultz J, Rothberg J et al. (2014) Apparatus and methods for performing electrochemical reactions. Patent and Trademark C WUSA.
24. Ravindra NM, Prodan C, Fnu S, Padroni I, Sikha SK (2007) Advances in the manufacturing types, and applications of biosensors. *Jom* 59: 37-43
25. Diamond D, Coyle S, Scarmagnani S, Hayes J (2008) Wireless sensor networks and chemo-/biosensing. *Chemical Reviews* 108: 652-679
26. Rodriguez-Mozzaz S, de Alda MJL, Barceló D (2007) Advantages and limitations of on-line solid phase extraction coupled to liquid

