Innovative Energy & Research
ISSN: 2576-1463

References

1. Wei J, Goldberg MB, Burland V, Venkatesan MM, Deng W, et al. (2003) Complete genome sequence and comparative genomics of Shigella þexneri serotype 2a strain 2457T. Infect Immun 71: 2775-2786.
2. Gupta A, Polyak CS, Bishop RD, Sobel J, Mintz ED (2004) Laboratory-conýrmed shigellosis in the United States, 1989- 2002: Epidemiologic trends and patterns. Clin Infect Dis 38: 1372-1377.
3. Torres AG (2004) Current aspects of Shigella pathogenesis. Rev Latinoam Microbiol 46: 89-97.
4. Bachand N, Ravel A, Onanga R, Arsenault J, Gonzalez JP (2012) Public health signiýcance of zoonotic bacterial pathogens from bushmeat sold in urban markets of Gabon, Central Africa. J Wildl Dis 48: 785-789.
5. Iwamoto M, Ayers T, Mahon BE, Swerdlow DL (2010) Epidemiology of seafood-associated infections in the United States. Clin Microbiol Rev 23: 399-411.
6. Germani Y, Sansonetti PJ (2006) The genus Shigella. The prokaryotes In: Proteobacteria: Gamma Subclass Berlin: Springer 6: 99-122.
7. Taneja N, Mewara A (2016) Shigellosis: epidemiology in India. Indian J Med Res 143: 565-576.
8. Jomezadeh N, Babamoradi S, Kalantar E, Javaherizadeh H (2014) Isolation and antibiotic susceptibility of Shigella species from stool samplesamong hospitalized children in Abadan, Iran. Gastroenterol Hepatol Bed Bench 7: 218.
9. Ranjbar R, Dallal MMS, Talebi M, Pourshaýe MR (2008)