



Campagna Technique A Boon for Debilitated Dentition Patients

Shuo Wu*

Department Laboratory of Oral Tissue, Shandong University, China

Abstract

compromise, such as gum recession, inflammation, or bone loss. Addressing these issues is critical for the success of any restorative procedure. Periodontal therapy, including scaling and root planing, flap surgeries, or bone grafting, is often employed to optimize the environment for prosthetic rehabilitation. The goal is to ensure a stable foundation for restorations and to improve the overall health of the oral tissues.

Restorative Approach

The Campagna Technique incorporates both fixed and removable prosthodontic elements, depending on the patient's specific needs. Fixed restorations, such as crowns, bridges, or implants, can be used to replace missing teeth, while removable partial or full dentures can be added where necessary. The combination of these approaches ensures that the patient receives a solution tailored to their functional and aesthetic needs.

References

1. Umetsu N, Shirai Y (2020) Development of novel pesticides in the 21st century. *Pestic Sci* 45: 54-74.
2. Yohannes H, Elias E (2017) Contamination of Rivers and Water Reservoirs in and Around Addis Ababa City and Actions to Combat It. *Environ Pollut Climate Change* 1: 1-12.
3. Ibrahim H, Al-Turki A (2000) Assessment of the Environmental Risk of Pesticides Leaching at the Watershed Scale under Arid Climatic Conditions and Low Recharge Rates. *Water* 12: 418.
4. Saquib S, Yadav A, Prajapati K (2021) Emerging pollutants in water and human health. *Contamination of Water* 1: 285-299.
5. Takagi K (2020) Study on the biodegradation of persistent organic pollutants (POPs). *Pestic Sci* 45: 119-12.