Journal of Medical Implants and Surgery

Case Report

OMICS International

Case Report after Introducing a New Abutment Surface for Bone Anchored Hearing Implants: Hydroxiapatite Abutment Surfaces and Skin Reaction Citation: Hultcrantz M (2017) Case Report after Introducing a New Abutment Surface for Bone Anchored Hearing Implants: Hydroxiapatite Abutment

	Age Mean	Side N	Gender N	Ab lengthN, mm	Peri-implant infection N	Holger scale	Ab change	Ab removal	Finished study
Patients# D2 g	s	Holger sca	le						

2 3 ٤ ٠, -2 . 41 11.117 11 1 ٩ 11./ . 4 11/ 4 17 11

Discussion

A (i + i) A (i

bone anchored hearing device through a minimal skin punch incision versus implantation with dermatome and soft tissue reduction. Ann Otol Rhinol Laryngol 125: 199-206.

- Hultcrantz M, Lanis A (2014) A fve year follow-up on the osseointegration of bone-anchored hearing aid implantation without tissue reduction. Otol Neurotol 35: 1480-1485.
- Nelissen RC, den Besten CA, Mylanus EA, Myrthe KSH (2016) Stability, survival, and tolerability of a 4.5-mm-wide bone-anchored hearing implant: 6-month data from a randomized controlled clinical trial. Eur Arch Otorhinolaryngol 273: 105-111.
- 10. Allis TJ, Owen BD, Chen B, Jones DT, Moore GF (2014) Longer length Baha[™] abutments decrease wound complications and revision surgery. Laryngoscope 124: 989-992.
- Westerkull P (2011) The ponto bone-anchored hearing system. In: Kompis M, Caversaccio MD (eds.), Implantable Bone Conduction Hearing Aids. pp: 32-40.
- Holgers KM (2000) Characteristics of the infammatory process around skinpenetrating titanium implants for aural rehabilitation. Audiology 39: 253-259.
- Hultcrantz M, Lanis A (2014) Stability testing after osseointegrated implant surgery without skin thinning in children: Case reports after abutment loss. Otol

Neurotol 35: 1102-1104.

- Faber HT, Dun CA, Nelissen RC, Mylanus EA, Myrthe KSH, et al. (2013) Boneanchored hearing implant loading at 3 weeks: stability and tolerability after 6 months. Otol Neurotol 34: 104-110.
- Liu CC, Chadha NK, Bance M, Hong P (2013) The current practice trends in pediatric bone-anchored hearing aids in Canada: a national clinical and surgical practice survey. J Otolaryngol Head Neck Surg 1: 42-43.
- Caruso A, Giannuzzi AL, Sozzi V, Sanna M (2017) Bone anchored hearing implants without skin thinning: the Gruppo Otologico surgical and audiological experience. Eur Arch Otorhinolaryngol 274: 695-700.
- Monksfeld P, Chapple IL, Matthews JB, Grant MM, Addison O, et al. (2011) BiofIm formation on bone-anchored hearing aids. J Laryngol Otol 125: 1125-1130.
- Iseri M, Orhan KS, Yarıkta MH, Kara A, Durgut M, et al. (2015) Surgical and audiological evaluation of the Baha BA400. J Laryngol Otol 129: 32-37.
- van Hoof M, Wigren S, Dumiel H, Savelkoul PH, Flynn M, et al. (2015) Can the hydroxyapatite-coated skin-penetrating abutment for bone conduction hearing implants integrate with the surrounding skin? Front Surg 14: 2-45.

OMICS International: An Open Access Publication Benefits & Features

Unique features:

- Increased global visibility of articles through worldwide distribution and indexing
- Showcasing recent research output in a timely and updated manner
- Special issues on the current trends of scientific research

Special features:

- 700+ Open Access Journals
- 50,000+ editorial team
- Rapid review process
- Quality and quick editorial, review and publication processing
 Indexing at major indexing services
- Sharing Option: Social Networking Enabled
- Authors Reviewers and Editors rewarded with online Scientific Credits
 Better discount for your subsequent articles

Submit your manuscript at: http://www.omicsonline.org/submission//

Citation: Hultcrantz M (2017) Case Report after Introducing a New Abutment Surface for Bone Anchored Hearing Implants: Hydroxiapatite Abutment Surfaces and Skin Reaction. J Med Imp Surg 2: 115.