Clinico-Sonographical Evaluation of Idiopathic Clubfoot and its Correction by Ponseti Method-A Prospective Study

G i a]h˙7\Uk`U%¹ž˙AU``]_U˙; idhU&ž˙JUfib˙DUbXYm%ž˙5V\]g\Y_˙>U]b%˙UbX˙AUbcᴬ˙?iaUf%

¹Department of Orthopaedics, M.L.B. Medical College, Jhansi, Uttar Pradesh, India

²Department of Radiology, Sir Ganga Ram Hospital, New Delhi, India

˙7cffYgdcbX]b[˙Uih\cf.˙ Sumit Chawla, Department of Orthopaedics, M.L.B. Medical College, Jhansi, Uttar Pradesh, India, Tel: +919899974182; E-mail: drsumitchawla08@gmail.com

Letter to Editor

efYgYUfWkUgXcbYfY[UfX]b[h\YigYcZi`hfUgcibXhccV°YWNjYm de neh\YXYZcfa ]H]YggYYb ]b W°VZcchUbXhccV°gYfjYh\YW"ffYWN]cb Ug h\Y hfYUha Ybh ]g WUff]YX cih VmDcbgYM] a Yh\cX" K]h\ WcbWUfbg cZ fUX]U]]cb \UiUfX]k ]h\ l!fUm]UbXd] cu`tmhc]bh\YfdfYhl !fUm]b]bZLbh]ž i `hfUgcibXgYfjYg Ug Ubcj Y a Yh\cXhccV°YWNjYm Ug°Yggh\YXYZcfa ]h^h I `hfUgcibXY]Ua]bUh]cb cZW°VZcch]bjc`j°Yg`]a]h\X]]Ykgk]h\ ke`! de ned fYdfcXi V][V°YY`UbXa Uf_g]%]"AYX]gcb C5 , SC9 UbXA YX]gcb CcbU579!L, i `hfUgcibXa UWN]bYYk]h\ +`) %&A <n`]bYUf hfUbgXi Wf &*aa Zcfga U`Yf ZYYhUbX() aa Zcf `Uf[YfZYYhk Ugi gYXhccUgeYgg, & ZYYh]b )(W]`XfYbž Ucb[k]h\ d]fUb]gWef]b[hc WYWU° WffYUh]cbU VYhk YYb gcbc[fUd\]W°jUf]UV°Yg UbX W°b]W°dUfUa YhYfg [&]" JUf]cig gcbc[fUd\]W°jUf]UVg UgeYggYX kYfY a YX]U a U`Ycg bY]]`W°VUf VY]YbWY X]ghUbWYffA ABŁa YUg fYX cb a YX]U°j]Ykž W°VWbYc!W°Vc]XXghUbWY ff778Ła UbX WWWYc!W°Vc]X Ub[`Y fl775Ła a YUg fYX cb h\Y `UhfU j]YkžHUUf `Yb]h\ fH5@La a YUg fYX cb XcfgU°j]Yk UbX h]V]V]c!W°WUbYU° XghUbWY fH7@La a YUg fYX cb dcghYf]cf j]Yk" e UJYfU Yb]a a VYf cZ WUhg hc UW°YYY Wa d`YhY WcffYWN]cb]bW°VX][h]bbchca mW°gh]]b S!' a cbh\ [fcid dUfJYbhg k YfY YY][\hfl]b]a i a (ža U]a ia %ŁUbX]b '!* a cbh\ [fcid dUfJYbhg k YfY %*%'%&fla]b]a ia +ža U]a ia %Ł fYgdYWNjYm'h'NbchcaW mUg fYei]fYX]b , '"% dUfJYbhg]b S!' a cbh\ [fcid dUfJYbhgUbX]b U`dUfJYbhg]b '!* a cbh\g; fcid UbX*!- a cbh\g ; fcid dUfJYbhg" FYg°hg cVUh]bYX kYfY gUhh]gfYWN°ms][]n] cUnt UbX