d c i Ι

1 d ci  $(-2)^{2}$ ,  $(-2)^{2}$ 

Citation: Emilia A (2024) Comprehensive Examination of Linseed and Sunfower Seed Oil's Nutritional and Oxidative Stability. J Plant Genet Breed 8: 208.



- Citation: Emilia A (2024) Comprehensive Examination of Linseed and Sunfower Seed Oil's Nutritional and Oxidative Stability. J Plant Genet Breed 8: 208.
- Naves ER, Silva L De A, Sulpice R, Araujo WL, Nunes-Nesi A, et al. (2019) Capsaicinoids: Pungency beyond Capsicum. Trends Plant Sci 24: 109-120.
- Simonne AH, Simonne EH, Eitenmiller RR, Mill HA, Green NR, et al. (1997) Ascorbic acid and pro-vitamin A contents in unusually colored bell peppers (Capsicum annuum L.). J Food Comp Analy 10: 299-311.
- Kothari SL, Joshi A, Kachhwaha S, Ochoa-Alejo N (2010) Chilli pepper- A review on tissue culture and transgenesis. Biotechnol Adv 28: 35-48.
- Ravishankar GA, Suresh B, Giridhar P, Rao SR, Johnson TS, et al. (2003) Biotechnological studies on Capsicum metabolite production and plant improvements. Capsicum: the genus Capsicum. London: CRC Press.
- Hardy G (2000) Nutraceuticals and functional foods: introduction and meaning. Nutrition 16: 688-689.
- Lee SG, Kim SK, Lee HJ, Lee HS, Lee JH, et al. (2018) Impact of moderate and extreme climate change scenarios of growth, morphological features, photosynthesis, and fruit production of hot pepper. Ecol Evol 8: 197-206.
- 9. Demir I, Ellis RH (1992) Development of i M Ell MH