## Covid-19 pandemic: a call to action

Œ}c5}i[ÁØ^!!^ilæ<sup>E</sup>

Faculdade de Medicina da Universidade do Porto, Centro Hospitalar Universitário de São João e Unidade de Investigação Cardiovascular, Porto, Portugal

<sup>E</sup>Corresponding author: Œ}c5}i[k@^!!^ita#k@æ&`|åæå^kā^kT^ä&ki#k@#k@#kW}iç^!•ita#a^kā[kÚ[tc[tkÔ^}ct[kP[•]itm|#tkW}iç^!•itr li[kā^kÜ@[kR[ë[k^kW}itm&k]k@^kd\*k@};c^•ct\*#8ë[ Ô#tái[çæ•&`|#tkÚ[tc[tkÚ[tc\*#lkk@][ta[-^!!^itmO\* { #ilf&[ {

Received: Ö^&^ { à^¦ÅF ĨĖÅG€G€LÅAccepted: Ræ} \*æ¦^Å€HĖÅG€GFLÅPublished: Ræ} \*æ¦^ÅF€ĖÅG€GF

## Eqo ogpvct{

The Covid-19 pandemic is having a dramatic impact on the world's population. Currently, there are more than half a million new cases per day and there are more than 10,000 daily deaths [1]. The effects of this pandemic far outweigh the direct consequences of the disease. In several industrialized countries there is an excess of all-cause mortality, not only due to deaths due to COVID-19, but due to an excess of mortality due to other causes. The lock-down of health systems, focused on patient care in Covid-19, seems to be the most plausible explanation for the non-CoVID-19 excess of mortality [2]. On the other hand, the measures adopted by governments to combat the pandemic have led to the shutdown of society and the economy, leading to brutal falls in GDP [3]. The effects of this economic crisis affect all social groups but are more intense among the poorest and disadvantaged.

People of all ages may be infected with SARS-CoV-2, but older people, and people with pre-existing medical conditions appear to be more vulnerable to becoming seriously ill with the virus [4].

Several articles have shown that poverty, deprivation, population density, proportion of elderly residents, use of public transport, household size and ethnicity are associated with higher e

- Hongchao P, Richard P, Quarraisha AK, Marissa A, Ana Maria HR, et al. (2020) WHO Solidarity Trial Consortium. Repurposed Antiviral Drugs for Covid-19 — Interim WHO Solidarity Trial Results. New Engl J Med.
- 12. Ngo B, Marik P, Kory P, Shapiro L, Brennan-Rieder D, et al. (2020) The Time to Offer Treatment for COVID-19. medRxiv.