



78例CC, 67例腺癌, 11例鳞癌, 32-84岁, 62.8, 9.3%), 69例腺癌, 38例鳞癌, 31例未分化癌, 29-81岁, 58.5, 10.5%), 33例CC, 29例腺癌, 4例鳞癌, 43-84岁, 65.3, 9.8%), 支气管铸型征和串珠征在周围型小细胞肺癌中的诊断价值。A组为CC, B组为腺癌, C组为鳞癌, D组为未分化癌, E组为其他类型肺癌。5.



CC BY-NC-ND 4.0 International license

- Lung Cancer: An Investigation of the Anatomy of the Lymphatic Drainage of the Lungs and Preoperative Mediastinal Staging. *Thorac Surg Clin* 31:429-440.
15. Shamji FM, Beauchamp G, Sekhon HJS (2021) The Lymphatic Spread of Lung Cancer: An Investigation of the Anatomy of the Lymphatic Drainage of the Lungs and Preoperative Mediastinal Staging. *Thorac Surg Clin* 31:429-440.
16. Meuwissen R, Linn SC, Linnoila RI, Zevenhoven J, Mooi WJ, et al. (2003) Induction of small cell lung cancer by somatic inactivation of both Trp53 and Rb1 in a conditional mouse model. *Cancer Cell* 4:181-189.
17. Riquet M (1993) Anatomic basis of lymphatic spread from carcinoma of the lung to the mediastinum: surgical and prognostic implications. *Surg Radiol Anat* 15: 271-277.