

Does The Mediterranean Diet or Botanicals Influence Alzheimer's Disease?

1. 46
131 2050 1 . A (A)
60-70%
2 .
A .
A ,
A , 2 .
65,
40 2 .
2 .
2 .
A
1 .

Anatomy of Alzheimer's Disease

3 . 4 .
A (A)
5 .
A 42 5 . A 42
5 .
4 .
4 .
A A
5 .
3,5 .

The Mediterranean Diet

A ,

26. P [, ^Á^T^R^Ü^È^P [^*^c [] ^Á^Ú^R^Á^Ç^G^E^E^J^D^Á^V^i^æ^ääi [] æ] ^{ ^â&â} ^À: [i^á { ^i^h^â } @æ } & ^{ ^ } ç^è
In Herbal drugs: Ethnomedicine to modern medicine pp: 239-291
27. Y æ} * ^Á^Ó^Ü^È^Y æ} * ^i^P^È^Y ^Á^ì^Z^P^È^Ú [] * ^i^Y^È^Z^@æ} * ^Á^S^È^Á^c^l^æ] ^Ç^G^E^E^J^D^Á^Ö- . & æ & ^h^æ} â^l^æ^c^Á
[-^h} æ^ i^æ] ^æ^c^~ [& @ [i] ^i^c^i^æ^â^æ] @ i^æi^c [i^á @ ^i^: i} ^Á^Ç^È} ^c^@^h^c^i^æ^c { ^ } ç^l [-^C^E] : @^i^q { ^i^q^â
disease: an updated meta-analysis. J Neural Transm 116: 457-465.
28. P^i^â@^Á^T^V^È^Ú^Á} * ^Á^Y^P^È^Y ^Á^Ó^Ü^È^P * ^Á^S^Y^È^Á^Ö@^i} * ^Á^Ó^S^È^Á^c^l^æ] ^Ç^G^E^E^J^D^Á^Ö^Á^Á^ [] ^Á
experimental research of herbal medicines with anti-amnesic activity. Planta
Medica 76: 203-217.
29. S^h} } ^â^~^i^Ö^Ü^È^Ú^Á & @ [i^~^ç^E^O^Ç^G^E^E^J^D^Á^V^i^ú^â^@ [] @æ: { æ& [[^*^h^i^ç^i^ö^i^: [] ^æ } ^P^Á^i^â^Á
with Cognition-Enhancing Properties. Curr Pharm Des 12: 4613-4623.
30. Perry N, Court G, Bidet N, Court J, Perry E (1996) European Herbs with
cholinergic activities: potential in dementia therapy. Int J Geriatr Psychiatry 11:
1063-1069.
31. Ö^i^â^* [^Á^T^Ç^È^Á^R [] ^Á^i^P^Ç^È^Á^ç^i^æ] ^Á^Á^V^È^P^Á} } æ} ^á^: ^È^Ú^Á^i^â^T^È^Ú^Á^&@æ} ^â^i^*^Á^Ü^È^Á^c^l^æ] ^Ç^F^J^J^I^D^Á
Aromatherapy positively affects mood, EEG patterns of alertness and math
computations. Int J Neurosci 96: 217- 224.
32. T [. . . ^Á^T^È^Á^Ô [[^Á^R^È^Á^Y^Á. .] ^Á^Á^S^È^Á^Ö^~^&^ç^c^l^ú^Á^Ç^G^E^E^H^D^Á^Ç^E: [{ æ^Á [-^Ü^Á^c^l^æ} ^á^} ^á^Á^æ} ^á^Á
Lavender essential oils differentially affect cognition and mood in healthy
adults. Int J Neurosci 113: 15-38.
33. P [, ^Á^T^Ü^È^Á^P [^*^c [] ^Á^Ú^R^Á^Ç^G^E^E^H^D^Á^Ú] æ} ^c^Á^~^Á^â^æ} ^Á^Ö^@i} ^Á^Á^æ} ^á^Q} ^á^æ} ^Á^c^i^æ^ääi [] æ] ^Á
medicine for improvement of memory and cognitive function. Pharmacol
Biochem Behav 75: 513-527.
34. Ú^Á^i^ç^Á^P^Ü^S^È^Á^P [^*^c [] ^Á^Ú^R^È^Á^V^@^Á [^æ] ^Á^Ç^È^Á^R^Á} } ^Á^i^Á^Ü^È^Á^Ú^Á^i^ç^Á^Á^Ö^S^Á^Ç^G^E^E^H^D^Á^Q} ç^i^c^l [^Á
Inhibition of Human Erythrocyte Acetylcholinesterase by Salvia lavandulaefolia
Essential Oil and Constituent Terpenes. J Pharm Pharmacol 52: 895-902.
35. Ú^æ^Ç^Á^ç^Á^Ü^È^Á^U^Á^ç^Á [^Á^Ö^È^Á^Ú^Á^i^ç^Á^P^Ü^S^È^Á^Y^á] ^á} } ^Á^Ü^T^È^Á^Ú^Á^i^ç^Á^Á^Ö^S^Á^Ç^G^E^E^H^D^Á^Ú^Á} ^i^ç^Á^æ^Á
and antagonistic interactions of anticholinesterase terpenoids in Salvia
lavandulaefolia essential oil. Pharmacol Biochem Behav 75: 661-668.
36. V^i] ^á^â^* ^Á^P^V^R^È^Á^S^Á} } ^Á^á^~^Á^Ö^Ü^È^Á^Ú^Á^i^ç^Á^Á^Ö^S^È^Á^Ö^æ] ^æ: ^á^Á^Ö^È^Á^Ú^æ^Ç^Á^ç^Á^Ü^È^Á^c^l^æ] ^Ç^G^E^E^H^D^Á
Salvia lavandulaefolia (Spanish sage) enhances memory in healthy young
volunteers. Pharmacol Biochem Behav 75: 669-674.
37. Ç^E^V^@ [] ^á: æ^Á^@^Ú^È^P [: [: i^æ} ^È^T [@æ { { æ^á^i^T^È^Á^U^@æ^á^i} ^æ^i^U^È^R^æ { • @ i^á^È^Á^c^l^æ] ^Ç^G^E^E^H^D^Á
Ú^æ] ç^i^æ^Á [-, & i} æ] ^æ^Á^c^i^æ^ç^i^æ^á} ^Á^c^@^Á^c^i^æ^c { ^ } ç^l [-^Á] æ^ç^Á} ^c^Á , â^c^@^Á { ^á^Á^c [^ { [^Á^i^æ^c^Á
Ç^E] : @^i^q { ^i^q^â^ö^â^æ^â^ñ^ô] ^i^ú^æ} ^á^ [{ i: ^Á^Á^æ} ^á^Á}] æ^Á^â [&] ^c^l [[^Á^Á^c^i^æ] ^È^Á
J Clin Pharm Ther 28: 53-59.
38. Ú^Á^i^ç^Á^P^Ü^S^È^Á^Ô [[] ^Á^Ö^È^Á^Ú^Á^i^ç^Á^Á^Ö^S^È^Á^Ö^æ] ^æ: ^á^Á^Ö^Ç^G^E^E^H^D^Á^Ú^æ] ç^i^æ^Á [-] ^á^Á { ^ } ç^æ^c^@^Á^i^ç^Á^~^Á^k^Á
review of pharmacological activity and pilot tolerability clinical trial. Pharmacol
Biochem Behav 75: 651-659.
- 39.