




## Effects of this Chemical Foetal Monitoring on the Initial Breathing Growth of Preterm Neonates

Subhanul Haq\*



## Conclusions



## References

1. Ocheke IE, Antwi S, Gajjar P, McCulloch MI, Nourse P (2014) Pelvi-ureteric junction obstruction at Red Cross Children's Hospital, Cape Town: a six year review. Arab J Nephrol Transplant 7: 33-36.
2. Capello SA, Kogan BA, Giorgi LJ, Kaufman RP. Prenatal ultrasound has led to earlier detection and repair of ureteropelvic junction obstruction. J Urol (2005) 174: 1425-1428.
3. Johnston JH, Evans JP, Glassberg KI, Shapiro SR (1977) Pelvic hydronephrosis in children: a review of 219 personal cases. J Urol 117: 97-101.
4. Williams DI, Kenawi MM (1976) The prognosis of pelviureteric obstruction in childhood: a review of 190 cases. Eur Urol 2: 57-63.
5. Lebowitz RL, Griscom NT (1977) Neonatal hydronephrosis: 146 cases. Radiol Clin North Am 15: 49-59.
6. Hubertus J, Plieninger S, Martinovic V, Heinrich M, Schuster T, et al. (2013) Children and adolescents with ureteropelvic junction obstruction: is an additional voiding cystourethrogram necessary? Results of a multicenter study. Wor J Urol 31: 683-687.
7. Swenson DW, Darge K, Ziniel SI, Chow JS (2015) Characterizing upper urinary