

**Keywords:** E ; F ; *Buchholzia coriacea*; M ; B

## Introduction

... M ... 1 . ... 2,3 . M ... N ... A ... 4 . ... O ... 5 . F ... 6 ... 7 . N ... *Buchholzia coriacea* ... P ... *Buchholzia coriacea*. I ... 9-11 A ... 1 ... 1 . I

A G I , C 12 . A ... L ... 12 . ... M ... 13 , A ... 12 ...



F, D - - ( 2) -  
- - - - - 23 . O  
- - - - - 24 . H , S  
25 - - - - -  
- - - - - 26 . D - -  
- - - - - ; ,  
- - - - - 27 . M , O - - - - -  
( 2) - - - - - H 28 . A  
1 - - - - -  
*Buccolzia coriacea* . 65.96% FAME  
*B. coriacea*  
P (C<sub>15</sub>)

H 22  
, - , -  
N 1 -  
*B. coriacea* . A , S  
18 H 22 O ,  
( 2),  
- - - - -

(1)

*D. mespiliformis*, *C. pulcherrima*

*A. lebeck* A O 34 .

*B. coriacea* .

O . 35 .

F , M

. A , ,

. O 26.05%

(14.73%)

(23.74%) B A 36

B A 36

. A FAO/HO 37

. O

(FAO/HO) 37

- 38 .

A M 39

L L

. 40 .

L (5.90%) R

41

. , ,

42 H

(2) N . 1 .

## Conclusion

I

29. Denke MA, Grundy SM (1992) Comparison of effects of lauric acid and palmitic acid on plasma lipids and lipoproteins. *Am J Clin Nutr* 56: 895-898.
30. Zock PL, de Vries JHM, Katan MB (1994) Impact of myristic acid versus palmitic acid on serum lipid and lipoprotein levels in healthy women and men.