

Fabrication and Characterization of Carbon Black and Phenol Formaldehyde Composites

Jakir Hossain, Mohammad Saiful Alam, Shujit Chandra Paul and Shafiul Islam*

Department of Applied Chemistry and Chemical Engineering, Noakhali Science and Technology University, Sonapur, Bangladesh

***Corresponding author:** Islam S, Assitant Professor, Department of Applied Chemistry and Chemical Engineering, Noakhali Science and Technology University, Sonapur, Bangladesh, Tel: +8801725346333; E-mail: shafiulacce@gmail.com


Phenol formaldehyde

D\Ybc`Zfa UXYnXY]gUgc`cMU]bYXk]h UgnYcZ%a a`X]La`YHf"
D\Ybc`Zfa UXYnXY]gcZk`c`hndYgg`WUg`Wgc`hndYUbXfYgc`hndY`
-b`h`lg`WgyfYgc`hndYk`Ugi`gX`

Preparation of the sample

8fmb]`WVcb`VUW`UbX`d\Ybc`Zfa UXYnXY`7c`YMX`WVcb
VUW`UbX`d\Ybc`Zfa UXYnXY`Zca`cW`a`Uf`Yi`k`Yf`X]YX`
gdUfYHf`h`S.7`Zf`&(`ci`fg]b`UX]f`i`bXf`j`UMi`a`WbX]hcb"

;`f]bX]b]`WVcb`VUW`UbX`d\Ybc`Zfa UXYnXY`:`]fgz`WVcb
VUW`cZga`U`i`a`d`ghYk`Ug]`fci`bX]e`f`ne`dck`Xf`UbX`h`Yb`d\Ybc`
Zfa UXYnXY`k`Ug`[`fci`bX`le`



: ||i fY% L!FUmDif raction' 5bUnglg cZGla d'Y' žGla d'Y('UbX
7UfVcb VUW'

Bulk density

: cf') Št 'a || li fY cZMfVcb' VUW' UbX d\Ybc'' Zfa UXYnXXZ Vi ` _
Xbglm jUfUjcb' Zf' hā dYh fYž dYgg fY UbX dYgg fY UbX
hā dYUhfY \c'X|b| ' hā Y |g j Yfm g|| \H' K |h' hY WUb|Y cZ
Wā dclhcb' cZMfVcb' VUW' UbX d\Ybc'' Zfa UXYnXXZ Vi ` _ Xbglm
j UfUjcb |gcVg fY YX' 5gh YdYVbH| YcZMfVcb VUW' |bWUgZ Vi ` _

Wá dclgYi bXf' b]fc[Yb'Ua cgl\ fYlcc_ 'dUW]b' h'fYg'hdg'6Yck
' SS.Zz (frst' fY]cbL' Yc' i' h'cb' cZk'UfZ' W'cgg']b_ YX' VndfcX' Wg' UbX
i' bfYUW'X' c']ca' Yfz']g' h'Y' a' Ub' fYUW]cb" T' e' XW'á dclg]h'cb' cZ
Wá dclgY' g'Uf' h'X' Uh' SS.7' UbX' h'Y' signif' cant' X] f'U'U]h'cb' c'W'W'f'f'X
V'f'k'Yb' ' SS!*SS.7' f'Yg' 'h'b| ']b' h'Y' [Yb'f'U]h'cb' cZ' U'f' Y' bi' a' V'f' cZ
[U'g'ci' g'j' c' U] 'Z]b'W'X]b| '7Cž< 'Cžga' U' 'a' c' W'W'Y' \n'X'f'c'W'f'V'cbg'UbX
ch'Y' ' Wá' dci' b'Xg' 'O'ŠZ'Š'Q' '6Y'k'Yb') SS!, SS.Zz' k'Y] \h' 'cgg' W'f] Y
V'W'á Y' f'YU]j' Y'm'f'atter' k' \]W']g' U'f]V' h'X' h'c' h'Y' V'f'U' U'Y' UbX
f'X]g'f]v' i' h'cb' f'YUW]cb'g'c'Z' h'Y'7 '7' V'cb'Xg' "8' i' Y'lc' h'Y']b'W'W'g'X'W'f'V'cb
V'U'W']b'W'f'dcf'U]h'cb' h'Y'W'f' n]Y'X']b'W'W'g'X'Z'ca') S'&S' 'hc' *S'S'(1 ž
k' \]W']g'Ub']b'X]W]h'cb' cZ]a' d'f'c'j' Y'X' h'Y'fa' U' g'U'W']h'm'Ub'X' h'Y'V'cb'X]b|
g'f'Yb[h' c'Z' h'Y'U'X' Y'g'j' Y'U' h' \[\ h'á' d'f'U' h' f'Y' : fca' h'Y'8' H' j' U' i' Y'g' U'g'
g'ckb']b' H'V'Y' &]h'W'b' V'Y'W'W'f' m'g'Y'b' h'U' h'Y'X'W'á dclg]h'cb' d'YU_

Citation: Hossain J, Alam MS, Paul SC, Islam S (2018) Fabrication and Characterization of Carbon Black and Phenol Form and

% Bcf_\Ufi bb|gJ A ž 5n|Ub' 5ž A Uf|U|j' A ž =g U' < ž Qa ' @7' f88%&L
T ermal' gU|]m| UbX' YWf|W' V\U|cf' cZ dc`n|a Yhng|cl Uy

bUcWa dcg|h|gk |h' WfVcb'bUchi VgUbXWfVcb'VUWfillers' >ci fbU
cZ7ca dcg|h'A Uf|Ug(*. - \$!- %\$