


Amphispiza bilineata in London



Methods

Study design and sample

	Cross Tabulation	P-value*	OR‡
Ü^*i[] Ü^*iâ^}&^	[- Ü&\ ^ Ô^ V^*c		
	P^*æiç ^	Ú[•æiç^	
	Ô^}ci ^	ii€ Fi ççEF%D	Ł€€€F Ü^*i^}&^
	W^*c	ïF€ FG çFÉi%D	€ÏJ ç€HIÉ FÉiÍD
	Ú[~c@	ii€ íi çF€J%D	íÉi çHEHEÉ JÉi€D
	Ôæ*c	GíJ HE çF€%D	í€€ çGEiÍÉ JÉiJD
P[ic@	FGF G çFÉi%D	€Ïi ç€FIÉ HEHÍD	

Ü^*i[] Ü^*iâ^}&^	[- Š^*cÈÔ^*c^*c		
	P[!{æ]	P[c P[!{æ]	
	Ô^}ci		

Competing Interests

Ethical Approval

Authors' Contributions

Acknowledgements

References

Citation: [S@#} P U { Eà^|@ UÉ |Pæ!ài TÙÉ |Z~, æ^â ZCEÉ Yæ~[~à WÉ ^c æ|É ÇGFÍD P^æ|@ Ü^æ•[]• -[! Ü^v^&ç[]} æ{ []* GÉÍÌ Þ^, T|æ!^ Ü^&!~ic• à} c@^ Sà)*á[{ [- Üæ^ài Ç!æàæK Ç Ó![:•É•^&ç[]}æ| Üc^â^ È Ó]â^ {â[[[*^ Ç•~} }^çæ|D ÍK €€È doi: 10.4172/2161-1165.S1-001

V@i• æ!ç&|^, æ• [!i*i}æ||^]~ à|i•@^â i} æ •]^&æ| i••^É^ }ç|/âK
"Atherosclerosis and Risk Factors", Òâ:â à^ Ó!É Š^[]æ!â[Ü|çæ Ó!i*^•
Ü[^ç^!