References

- Department of Statistics (2016) Monthly report of the interior statistics.
- National Development Council (2016) Population estimate of Taiwan (2016, 2061).
- 3 Van der Heide A, Deliens L, Faisst K, Nilstun T, Norup M, et al. (2003) End-of-life decision-making in six European countries: descriptive study. Lancet 362: 345-350
- 4. Lin CY, Sung HC, Fan SY, Wang SC, Hu HF (2014) e 9 ects of the Advance Care Planning Program on Knowledge and Attitude of Hospice Care and Advanced Directives among Older Adults in a Long-term Care Facility. A Pilot Study. Chung Gang Nur 25: 389-403
- 5. Chen SY, Hu WY, Yu Y, Kao TW, Ho CI (2011) Palliative Care in Elderly with End-Stage Renal Disease Under Dialysis. Formosa J of Med 15: 311-319.
- 6 Chang L, Huang SJ, Hsiao SH (2015) From ICU Return to End-of-life Care Plan. Taipei City Medi 12: 13:27.
- Chiu LF, Tseng HL, Li JP, Wang NT, Hung TC (2011) Adopting Hospice Care to Help the Ventilator-Dependent Patients Pass eir End-Stage Course. Taiwan J Hosp Palliat Care 16: 228-239.

- 8 Hsin DHC, Macer D (2006) Comparisons of Life Images and End-of-LifeAttitudes Between the Elderly in Taiwan and New Zealand. JNurs Res 14: 198-208
- 9. Lee HT, Chen CY, Hu WY (2012) Advance Care Planning and Elderly

Co-uCity of the Elder y ith End-tagh Liver ei