

Open Access

j kij gt "j g c v k pi "x c nwg u . " c p f "wn v k o c v g " c p f discovered based on the composition of the ash. Additionally, the complete contract kinetic index were computed [6].



Idc

*Corresponding author: Małgorzata Ferraz, Department of Chemical Engineering, University of Leeds, United Kingdom, E-mail: MałgorzataFerraz54@gmail.com

Received: 03-Oct-2022, Manuscript No. jbrbd-22-77691; Editor assigned: 10-Oct-2022, PreQC No. jbrbd-22-77691 (PQ); Reviewed: 18-Oct-2022, QC No. Jbrbd-22-77691; Revised: 24-Oct-2022, Manuscript No. Jbrbd-22-77691 (R); Published: 31-Oct-2022, DOI: 10.4172/2155-6199.1000535

Citation: Ferraz M (2022) Hydrothermal Co-Carbonization from Biowaste Hydrothermal Carbonization. J Bioremediat Biodegrad, 13: 535.

 $\begin{array}{l} \textbf{Copyright: } \circledcirc 2022 \ \mbox{Ferraz M. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. \end{array}$

Page 2 of 3

۰,

у 7

4

: :

٤

,	4	4	c	4)	41-	} ৰাৰ	-
,		4	4		,	44	
	- 1)		4 -				4

Page 3 of 3