## Editorial



\*Corresponding author: Bhagelu R. Achyut, Cellular and Molecular Imaging Laboratory, Department of Radiology, Henry Ford Health System, 1 Ford Place, 2F, Detroit, MI 48202, USA, Tel: 313-874-4485; Fax: 313-874-4494; E-mail: achyutpgi@gmail.com

Received November 26, 2013; Accepted November 26, 2013; Published November 29, 2013

Citation: Achyut BR (2013) Impact of Microenvironment in Therapy-Induced Neovascularization of Glioblastoma. Biochem Physiol 2: e121. doi:10.4172/2168-9652.1000e121

Copyright: © 2013 Achyut BR. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted

## Citation: Achyut BR (2013) Impact of Microenvironment in Therapy-Induced Neovascularization of Glioblastoma. Biochem Physiol 2: e121. doi:10.4172/2168-9652.1000e121



1. Inform Personalized Treatment. J Pathol.

Soda Y, Myskiw C, Rommel A, Verma IM (2013) Mechanisms of neovascularization and resistance to anti-angiogenic Infeent.Mol3)dr 1Berl01391: 439-448hol.2.

Page 2 of 3

Citation: Achyut BR (2013) Impact of Microenvironment in Therapy-Induced Neovascularization of Glioblastoma. Biochem Physiol 2: e121. doi:10.4172/2168-9652.1000e121

29.