





1 T T -1.2 TD 272 .0. . R E



1. Wykes M, Pombo A, Jenkins C, MacPherson GG (1998) Dendritic cells interact

directly with naïve B lymphocytes to transfer antigen and initiate class switching in a primary T-dependent response. *J Immunol* 161: 1313-1319.

2. Xavier RJ, Podolsky DK (2000) How to get along: Friendly microbes in a hostile world. *Science* 289: 1483-1484.
3. Yacyszyn B, Meddings J, Sadowski D, BowenYacyszyn MB (1996) Multiple sclerosis patients have peripheral blood CD45RO<sup>+</sup> B cells and increased intestinal permeability. *Dig Dis Sci* 41: 2493-2498.
4. Yamauchi KE, Snel J (2000) Transmission electron microscopic demonstration by intestinal epithelial cells of the chick ileum. *Infect. Immun* 68: 6496-6504.
5. Yasui H, Nagaoka N, Mike A, Hayakawa K, Ohwaki M, et al (1992) Detection of *Helicobacter pylori* in the stomach. *Microbial Ecol Health Dis* 5: 155-162.
6. YellinShaw A, Monroe JG (1992) Mechanisms of T cell activation. *Cell Immunol* 145: 339-350
7. Toellner KM, Jenkinson WE, Taylor DR, Khan M, Sze DM, et al. (2002) Low-level hypermutation in T cell-independent germinal centers compared with high mutation rates associated with T cell-dependent germinal centers. *J Exp Med* 195: 383-389.
8. Toivanen A, Toivanen P (2000) Reactive arthritis. *Curr Opin Rheumatol* 12: 300-305.
9. Umesaki Y, Setoyama H, Matsumoto S, Okada Y (1993) Expansion of microbial colonization in germ-free mice and its independence from thymus. *Immunology* 79: 32-37.
10. Umesaki Y, Okada Y, Matsumoto S, Imaoka A, Setoyama H, et al (1995) Intraepithelial lymphocytes and induce MHC class II molecules and fucosyl asialo GM1 glycolipids on the small intestinal epithelial cells in the ex-germ-free mouse. *Microbiol Immunol* 39: 555-562.