

,URQ 6WDLQ RQ %RQH 0DUURZ \$VSLUDWH 6PH
6WRUHV DQG 6LGHUREODVWV

0RQDOLVD 1WRERQJZDQD

Department of Haematology and Pathology, National Health Laboratory Services, Groote Schuur Hospital and University of Cape Town, Cape Town, South Africa

&RUUHVSRRQGHQDQDQD 1WRERQJZDQD 06F 0%&K%)& 3DWK +DHP 6\$ 'HSDUWPHQW RI +DHPDWRORJ\
*URRWH 6FKXXU +RVSLWDO DQG 8QLYHUVLW\ RI &DSH 7RZQ &DSH 7RZQ 6RXWK \$IULFD 7HO

5HFHLYHIDUFK \$FFHSWIDUFK 3XEOLVHIDUFK

&RS\ULJKW 1WRERQJZDQD 0 7KLV LV DQ RSHQ DFFHVV DUWLFOH GLVWULEXWHG XQGHU WKH WHUPV RI W
XVH GLVWULEXWLRQ DQG UHSURGXFWRQ LQ DQ\ PHGLXP SURYLGHG WKH RULJLQDO DXWKRU DQG VRXU


\$EVWUDFW

%RQH PDUURZ H[DPLQDWRQ IRU DVVHVVPHQW RI LURQ VWDWXV LV DQ LPSRUW
ERWK KDHPRSRLHWLF DQG QRQ KDHPRSRLHWLF GLVRUGHUV \$Q LURQ VWDQ LV W
ERG\ V LURQ VWDWXV ,W DOVR DOORZV WKH GHWHFWLRQ QRW RQO\ RI DQ LQFUH
FRQWDLQLQJ QXFODWHG UHG EORRG FHOOV EXW DOVR RI DEQRUPDO VLGHUREOD
KHPDWRORJLFDO GLVHDVHV 7KH TXDOLW\ RI WKH VWDQ LV KHQFH SLYRWDO LQ K

,Q P\ ODERUDWRU\ , KDYH QRWLFHG IRU D SURORQJHG SHULRG RI WLPH DQ DUW
WR DVVHVV LURQ VWRUHV DQG LPSRVVLEOH WR DVVHVV WKH SHUFHQW DJH RI VL
LQYHVWLJDWRQ WR GHWHUPLQH WKH SRVVLEOH FDXVH DQG VROXWLRQ WR WK
LQIRUPDWLRQ DERXW WKH FDXVHV RI 3HUO V 3UXVVLDQ EOXH VWDQ DUWHDFW
DWWULEXWLRQ WKH DUWHDFW WR WKH DJH RI WKH VWDQ DQG VXJJHVWLQJ PDN
6DIIUDQLQ 2 WR UHPRYH DQ\ LPSXULWLHV IURP WKH VWDQ DV WKLV UH DJHQW WH
DWWHPSWHG EXW ZHUH XQKHOSIXO LQ UHVROYLQJ WKH DUWHDFW 7KH UHVXOW
6DIIUDQLQ 2 LQ D SODVWLF FRQWDLQHG DIWHU UHFRQVWLWXWLRQ WKH SRZGHU W
SUDFWLFH KDV VLQFH EHHQ FKDQJHG WR VWRULQJ WKH 6DIIUDQLQ 2 VWRFN VROXW

.H\ZRUGV VWDQ DUWHDFWV 3HUO V 3UXVVLDQ EOXH VWDQ 6DIIUDQLQ 2

3RWDVVLXP)HUURF\DQLGH IRU PLQXW
ZDWHU IRU PLQXWHV WKHQ FRXQWH
VHFRQGV WKHQ ULQVHG ZLWK GLVWLOO
PLFURVFRS\ IHUULF LURQ ZLOO DSSHDL
7KH DUWHIDFW WKDW DSSHDUHG
FRXQWHUVWDLQLQJ ZLWK 6DIIUDQLQ 2
UHDJHQWV XVHG LQ WKH VWDLQLQJ SUR
DQG DUH VWDEOH IRU VHYHUDO ZHHNV
ZHUH VKDUS QHHGOH OLNH)LJXUH
DVVHVVLQJ WKH LURQ VWDLQ



IG ZLWK UXQQLQJ WDS
6DIIUDQLQ 2 IRU
DLU GULHG DQG UHGD\ I
QXFOHL UHG)LJXUHV
O ZDV QRWHG DIWHU
N VROXWLRQV RI WKH
WRUHG LQ SODVWLF ERW
ZLWK RXU VWDLQHG VOLC
ZKLFK PDGH WKHP XVHONV IRU
)LJXUH6KDUS QHHGOH OLNH DUWHIDFWV
VPHDU DIWHU FRXQWHUVWDLQLQJ ZLWK 6D



2YHU WKH PRQWK SHULRG VHYHUDO V
PLFURVFRSH DIWHU HDFK VWDJH RI WKH V
VWDJH WKHVH DUWHIDFWV DSSHDUHG DQG
6DIIUDQLQ 2 ZKLFK ZDV VWRUHG LQ D SO
DIWHU UHFRQVWLWXWLRQ RI WKH SRZGHU
LQYHVWLJDWHG ZDV DJH RI VSHFLPHQ ZK
7DEOH

)LJXUH%RQH PDUURZ SDUWLFQH KLJKOLJKWLOJ LURQ
EODFN LURQ LQ PDFURSKDJHV

\$LU GULQJHRW EODFNQLQ 6DIIUDQLQLOWHULQJ RI
VOLGHV GULQJ VWRUHG VWRUHG W&HD
VOLGHV SORWLFJODVY ERWUHQDQLQ 2
FRQWDLQHU WKURXJK D
PLFURQ ILOWHU




; ; ; UHVROXWLRQ
; QRW HIIHFWLYH LQ UHVROYLQJ WKH DUWHIDFWV
7DEOH

9YZLWK 6DIIUDQLQ 2

)LJXUH3HUO1V LURQ VWDLQ ZLWK QR VWDLQDEOH LURQ LURQ GHILFLHQF\

)LJXUH1RUPDO VLGHUREODVWV ZLWK DQ LURQ JUDQXOH LQ WKH
F\WRSODVP DUURZ



)LJXUH5LQJ VLGHUREODVWV > @

