

Large Ulcerating Congenital Infantile Fibrosarcoma of the Lower Leg: Case Report and Literature Review

Mohamed Elmubarak Awadelkarim^{1*} and Hassan Elbahri²

¹*Department of Orthopedic Oncology, Ibrahim Malik Hospital Khartoum, Sudan*

²*Department of Orthopedic Oncology, International University of Africa (IUA), Sudan*

***Corresponding author:** Mohamed Elmubarak, Registrar of Orthopedic & Trauma surgery, Department of Orthopedic Oncology, Ibrahim Malik hospital, Khartoum, Sudan, E-mail: uadalmobarek_89@hotmail.com

Received date: June 08, 2020; **Accepted date:** June 22, 2020; **Published date:** June 29, 2020

Copyright: © 2020 Awadelkarim ME, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Abstract

Congenital infantile fibrosarcoma (CIFS) is a rare pediatric soft-tissue sarcoma and is typically detected in children <1 year of age. They usually present at birth but some present late up to the third month of life. Histologically composed of relatively uniform spindle-shaped cells often organized in a herring-bone pattern, with a range of

UHVfh`cf`gcfhmaf`er`UgU[fck]b[`a`Ugg`h`Uidfc[fYgg]YmYb`Uf`Yg
]ble`Uf`rm`g`]bnh`a`cfzof`en`i`WfUY`UbXf`xed`te`i`bXf`n]b[`hgg`YgZ
Ug]b`ci`f`WgY`Q%`Q7`G]gi`g`U`ngck!|[fck]b[`zUbX`hbX`ghe`VYa`cfY
Vb][`b`h`Ub`f`brosarcoma`]b`c`Xf`W]`XfYbzk`\\W`VX`U`Y`g`a`cfY`_`Y
h`Y`hdY`Z`i`bX`]b`U`i`lg`U`h`ci`[\`h`Ym`fY`\\]g`c`[W`ngja`]`f`Q`Q
@f`Y`i`WfU]b[`h`i`a`cf`Yf`m`]b` `]Z`f`H`V`Y`%`E`Wb`d`f`g`b`h`k`]h
signif`cant` `Ya`cff`\\U`Y`cf`X]gg`a`]b`U`h`X`]b`h`f`j`U`g`W`U`f`W`U`i` `cd`U`h`m

					Recurrence		
Hashemi A et al. [8]	Female	9 year	left hand recurrent	4 x 5 cm	Resection	Yes oncovin, actinomycin and endoxan.	In remission
Hamidah Alias [15]	Female	7-week	right arm	6 x 5 x 7 cm	Resection	Yes, Yes, neo- adjuvant VAC; 5 cycles postopraive	In remission at 3 years

'' " 8i Ub'GzN\Ub['LzK Ub[; zN\cb['zMb['NzYhU" f&S%LDf]a Ufm[]Ubh
Wb[Yb]U']bZb]Y