INTRODUCTION

So I had this lady, who was an asylum seeker, who had been pregnant as the result of rape during her detention, where she'd been tortured and raped. And...um...so I took care of her through her whole pregnancy...we tend not to discuss...you know... their trauma history in detail, other than to know that it occurred and....you know...try to make sure they get services, that they're OK and go over the whole 'how's mental health?' and...you know...make resources, but to talk about the details of what happened we didn't do, but then she needed her asylum afýdavit, so she came back to me for that...[tears began to well up in the doctor's eyes]*...she had her new baby on her lap, this little boy that's the result of rape from someone who tortured her, she is sitting there telling me this story and suddenly she completely þashes back, she dissociates and starts rocking and saying 'God help me, God help me, God help me' and her little boy, sitting on her lap,*

whether stress is present as the result of exposure to patient trauma, but to what extent, what effect stress can have on the caregiver, and what risk factors or caregiver dispositions initiate the development of burnout, secondary traumatic stress, or vicarious trauma. At the heart of the matter, empathy is the leading and proximal cause for adverse psychological reactions in providers working in refugee/asylee care. Generally, "the more empathic a provider is, the greater the risk" (BSRC, 2012). However, this does not mean that all empathetic practitioners will experience secondary or vicarious stress or that

refugee patients and their tragic stories allowed them to witness the resilience of their patient population and galvanized their desire to continue to care and advocate for this vulnerable, yet resilient group.

With this in mind, I introduce the concept of "secondary resilience." Similar to vicarious resilience, "secondary resilience" can be a protective factor in and have a moderating effect on vicarious trauma. However, despite the similarity between vicarious and

of secondary traumatic stress, "secondary resilience" can develop

traumatic event. In other words, this suggests that a practitioner does not have to be exposed to multiple traumatizing incidents in order to develop resiliency. Dr. Bradford, a seasoned psychiatrist and co-founder of the Center, demonstrates this phenomenon:

There was a time when a Tibetan monk…patient…told me that one of his major concerns that he had, when he was in prison and tortured, was how he could use compassion towards his torturer... such cases are awakenings...things you do not expect but must be willing to learn and process...this touched me personally and I knew that there was something special about these people, and this... really stuck with me...and guided me as I worked with other refugees... torture survivors.

patient had on him. The Tibetan monk's concern with "showing compassion towards his torturer" served as an "awakening" for Dr. Bradford. The shock associated with the unexpected and paradoxical

and understanding of these "special" people. As he says, "it touched" him, "it stuck with" him, and "guided" him in his future encounters with patients from that region and culture.

Furthermore, both vicarious resilience and secondary resilience can function on a continuum. Resilience can be built either after one exposure or after long-term exposure to a trauma-inducing event(s). Nonetheless, "secondary resilience" does not suggest that vicarious

Baird, C. & Kracen, A.C. (2006). Vicarious traumatization and secondary traumatic stress: A research synthesis. *Counselling Psychology Quarterly*, *19*(2), 181-188.

Bandura, A. (1986). *Social foundations of thought and action* (pp. 5-107). Prentice Hall.: Englewood Cliffs, NJ.

Baranowsky, A.B. (2002). The silencing response in clinical practice. In C.R. Figley (Ed.), Treating compassion fatigue. New York: Brunner-Routledge.

Bernard, H.R. (2011). *Research methods in anthropology*. Rowman Altamira.

Best Start Resource Centre (BSRC). (2012). *When Compassion Hurts: Burnout, Vicarious Trauma and Secondary Trauma in Prenatal and Early Childhood Service Providers*. Toronto, Ontario, Canada.

Bradley, C.P. (1992) Turning anecdotes into data-the critical incident technique. *Family Practice*, *9*(1), 98-103.

Brady, D.W., Corbie-Smith, G., & Branch, W.T. Jr. (2002) ''What's important to you?'': the use of narratives to promote self-

Annals of Internal Medicine, *137*, 220–223.

Branch, W.T. (2000). Supporting the moral development of medical students. *Journal of general internal medicine*, *15*(7), 503-508.

Branch, W.T. (2005). Use of critical incident reports in medical education. *Journal of general internal medicine*, *20*(11), 1063-1067.

development of empathic understanding of their patients. *Academic Medicine*, *73*, 361-362.

Branch, W.T. Jr., Pels, R.F., Harper, G., Calkins, D., Forrow, L., Mandell, F., et al. (1995) A new educational approach for supporting the professional development of third year medical students. *The Journal of General Internal Medicine*, *10*, 691-694.

Branch, W.T. Jr., Pels, R.J., Lawrence, R.S., & Arky, R.A. (1993) Becoming a doctor: ''critical-incident'' reports from third-year medical students. *The New England Journal of Medicine*, *329*, 130-132.

Bryman, A. (2003). *Quantity and quality in social research*, Routledge.

Dey, I. (2003). *Qualitative data analysis: A user friendly guide for social scientists*, Routledge.

Eisenman, D., Bergner, S., & Cohen, I. (2000). An ideal victim: Idealizing trauma victims causes traumatic stress in human rights workers. *Human Rights Review*, *1*(3), 106-114.

Figley, C. (1995a). *Compassion fatigue as secondary traumatic stress disorder*. In C. Figley (Ed.), Compassion fatigue: Coping with traumatic stress disorder in those who treat the traumatized (pp. 1-18). New York: Bruner/Mazel, Inc.

Figley, C.R. (1995b). *Compassion fatigue: Coping with secondary traumatic stress disorder in those who treat the traumatized*. New York: Brunner/Mazel.

Figley, C.R., & Kleber, R.J. (1995). Beyond the "victim". In *Beyond trauma* (pp. 75-98). Springer US.

Flanagan, J.C. 1954. The critical incident technique. *Psychological bulletin*, *51*(4).

Halpern, J. (2001) From Detached Concern to Empathy: Humanizing Medical Practice. New York: Oxford University Press

Harding, J. (2013). *Qualitative data analysis from start to ýnish*. Sage.

Hernández, P., Gangsei, D., & Engstrom, D. (2007). Vicarious resilience: A new concept in work with those who survive trauma. *Family process*, *46*(2), 229-241.

Hernandez-Wolfe, P., Killian, K., Engstrom, D., & Gangsei, D. (2014). Vicarious Resilience, Vicarious Trauma, and Awareness of Equity in Trauma Work. *Journal of Humanistic Psychology*, 0022167814534322.

Hesse, A.R. (2002). Secondary trauma: How working with trauma survivors affects therapists. *Clinical Social Work Journal*, *30*(3), 293-309.

Holmqvist, R., & Andersen, K. (2003). Therapists' reactions to treatment of survivors of political torture. *Professional Psychology: Research & Practice*, *34*(3), 294-300.

Hupert, N., Pels, R.J., & Branch, W.T. Jr. (1995). Learning the art of doctoring: use of critical incident reports. *Harvard Student BMJ*; *3*, 99-100.

Joinson, C. (1992). Coping with compassion fatigue. *Nursing*, *22*(4), 116-122.

Kinzie, J. (2001). *Psychotherapy for massively traumatized refugees: The therapist variable*. Portland: Oregon Health and Sciences University.

Kolb, D.A. (1984). *Experiential Learning: Experience as the Source of Learning and Development*. Englewood Cliffs, NJ: Prentice Hall.

Lichstein, P.R., & Young, G. (1996) ''My most meaningful patient.'' *Journal of General Internal Medicine*, 11406–11409.

Locke S. (2003) Controversies. Interview with Gordon Harper. *Medical Encounter*, *17*, 17–21.

Luthar, S.S. (2006). Resilience in development: A synthesis of

Luthar, S.S. (Edn.). (2003). *Resilience and vulnerability: Adaptation in the context of childhood adversities*. Cambridge University Press.

Mann, T., & Woods, J.E. (1995). *The magic mountain: A novel*. New York: A. Knopf.

Marcum, J.A. (2008). *An introductory philosophy of medicine: Humanizing modern medicine. Springer*, *99*.

Maslach, C., & Jackson, S.E. (1981). The measurement of experienced burnout. *Journal of Occupational Behavior*, *2*, 99 113.

McDonannell-Baum, B. (1998). Dilemmas in nursing care: a *Contemporary Nurse*, *7*, 32-34.

Miller, K.I., Stiff, J.B., & Ellis, B.H. (1988). Communication and empathy as precursors to burnout among human service workers. *Communication Monographs*, *55*(9), 336-341.

Mitchell, J. T., & Bray, G. (1990). *Emergency services stress: Guidelines for preserving the health and careers of emergency services personnel*. Ellicott City, MD: Chevron Publishing Corporation.

More, E.S. (1996). Empathy as a hermeneutic practice. *Theoretical Medicine*, *17*(3), 243-254.

Niemi, P.M. (1997). Medical students' professional identity: self-*Medical Education*, *31*, 408-415.

Papadopoulos, R.K. (Edn.). (2005). *Therapeutic care for refugees: No place like home*. London:Karnac

Parker, D.L., Webb, J., & D'Souza, B. (1995) The value of critical incident analysis as an educational and its relationship to experiential learning. *Nurse Education Today*, *15*, 111-116.

Perry, B.D, Conroy, L., & Ravitz, A. (1991). Persisting psychophysiological effects of traumatic stress: The memory of "states". *Violence Update*, *1*(8), 1-11, From the Child Trauma Academy. Retrieved from:www.childtrauma.org/ctamaterials/memory_states.asp

Pines, A., & Aronson, E. (1988). *Career burnout: Causes and cures*. Free press.

Saakvitne, K.W., Gamble, S., Pearlman, L., & Lev, B. (2000). *Risking connection: A training curriculum for working with survivors of childhood abuse*. Lutherville, MD: Sidran Press.

Saldaña, J. (2012). *The coding manual for qualitative researchers*, Sage, *14*.

Shanafelt, T.D., Balch, C.M., Dyrbye, L., Bechamps, G., Russell, T., Satele, D., et al. (2011). Special report: suicidal ideation among American surgeons. *Archives of surgery*, *146*(1), 54-62.

Shanafelt, T.D., Sloan, J.A., & Habermann, T.M. (2003). The well-being of physicians. *American Journal of Medicine*, *114*(6), 513-519.

Smith, H.E., Keller, A.S., & Lhewa,D.W. (2007). "…Like A Refugee Camp On First Avenue"- Insights And Experiences From The Bellevue: NYU Program For Survivors Of Torture.

Svahn, D.S. (2002). *Let Me Listen to Your Heart*. Writings by Medical Students, Collected by Alan J. Kozak. New York: Bassett Healthcare.

Ta, L. (1997). Critical incident analysis: nursing a dying man. *Contemporary Nurse*, *6*, 72-74.

Trippany, R., White, V., & Wilcoxon, S. (2004). Preventing Vicarious Trauma: What Counselors Should Know When Working With Trauma Survivors. *Journal of Counseling and Development*, *82*(1), 31-37.