Journal of Mucosal Immunology Research

Short Communication Open Access

Mucosal Immunity: Recent Research Outcomes

Saeid Shahbazi Naserabad*

Department of Fisheries, Faculty of Natural Resources, University of Tehran, Karaj, Iran

*Corresponding author: Naserabad SS, Department of Fisheries, Faculty of Natural Resources, University of Tehran, Karaj, Iran, E-mail: Saeid.shahbazi@ut.ac.ir

Received: 10-Mar-2022, Manuscript No. jmir-22-56803; Editor assigned: 14-Mar-2022, PreQC No. jmir-22-56803 (PQ); Reviewed: 15-Mar-2022, QC No. jmir-22-56803; Revised: 21-Mar-2022, Manuscript No. jmir-22-56803(R); Published: 29-Mar-2022, DOI: 10.4172/jmir.1000142

Citation: Naserabad SS (2mechanism of mucosal membrane is highly specialized and confi

protection from such invasions. In fact, a signicant percentage immunocytes are present in the local immune system in the muce mucosal une sysrotthat can be detected using endoscopic or race. Penerally diet low in ber, smoking, obesity, aging and lack physical exercise are the risk factors for development of diverticulosis addition to disturbed microbial diversity. Symptoms include abdominations and the succession of the s

tenderness, constipation, or diarrhea, with fever or pain. Diverticul can become inamed may lead to perforation and infection. e use