



Keywords: Bruxism; Michigan splint; Occlusal splint; Oral splint; Tanner appliance

Introduction

The most prevalent categories include. Composed of resilient materials, soft splints provide cushioning and are suitable for patients with muscle tenderness or sensitivity. Fabricated from rigid materials, hard splints are durable and effective in managing conditions requiring stabilization of the occlusion. These splints are designed to reposition the mandible, reducing stress on the TMJ and associated muscles. Providing even occlusal contacts, flat plane splints are utilized to distribute forces evenly and prevent excessive wear on specific teeth. Used to alter vertical dimensions, these splints are employed in cases of occlusal discrepancies. Proper diagnosis and treatment planning are essential before prescribing occlusal splints. A thorough examination, including assessment of occlusal relationships, joint function, and patient history, guides the selection of the most suitable splint type.

Discussion

Regular follow-ups and adjustments ensure the efficacy of the splint, and patient education regarding maintenance and potential side effects contribute to successful treatment outcomes. In conclusion, occlusal splints represent a versatile and valuable tool in the management of various dental and TMJ disorders. The appropriate choice of splint type, coupled with meticulous clinical considerations, enhances their effectiveness in providing relief and improving the overall oral health and well-being of patients. Occlusal splints, commonly referred to as bite splints or night guards, stand as integral therapeutic devices in the domain of modern dentistry. These devices play a crucial role in the management of diverse dental and temporomandibular joint (TMJ) disorders, contributing significantly to the enhancement of oral health and the alleviation of associated symptoms. These dental appliances are designed with a primary objective: to provide a supportive mechanism for the jaw and teeth, particularly during periods of parafunctional activities such as bruxism (teeth grinding) and clenching. Occlusal splints serve as a bridge between dental science and patient well-being, offering relief from conditions ranging from temporomandibular joint disorders (TMD) to headaches and tooth wear. Occlusal splints are a cornerstone in the conservative management of TMJ disorders. By providing a stable and well-distributed bite surface, these splints help alleviate the stress on the temporomandibular joint and associated muscles, reducing pain and improving function. Patients experiencing bruxism, a common condition characterized by the grinding of teeth, benefit from occlusal splints. These devices act as a protective barrier,

preventing tooth wear and minimizing the impact of nocturnal bruxism [1-4].

Occlusal splints have demonstrated efficacy in mitigating headaches and facial pain associated with dental issues. By optimizing occlusal relationships and reducing muscle tension, these devices contribute to the overall well-being of patients. In cases where patients exhibit excessive tooth wear due to abnormal biting patterns, occlusal splints serve as a preventive measure. They distribute forces evenly across the dental arch, preventing localized wear and preserving tooth structure. Occlusal splints come in various types, each tailored to address specific clinical needs. From soft splints offering cushioning to hard splints providing stability, and from anterior repositioning splints to bite-raising splints, the diversity in design reflects the precision with which these devices can be customized to meet individual patient requirements. In summary, occlusal splints emerge as versatile tools in the hands of dental practitioners, offering targeted therapeutic interventions for a spectrum of dental and TMJ-related conditions.

Their role extends beyond the physical device, encompassing meticulous diagnosis, treatment planning, and patient education. As we delve into the nuances of occlusal splints, a deeper appreciation unfolds for their contribution to not just oral health but also the overall quality of life for individuals grappling with diverse dental challenges. Occlusal splints, also known as bite splints or night guards, represent a significant therapeutic intervention in dentistry. This discussion explores various aspects of occlusal splints, including their clinical applications, types, effectiveness, and considerations in their prescription and use. Occlusal splints play a crucial role in the management of TMD, offering relief from pain and dysfunction associated with the temporomandibular joint. By providing a stable bite surface, these splints help to reduce stress on the joint and alleviate symptoms. Bruxism, characterized by the grinding of teeth, is a common dental issue. Occlusal splints act as

Corresponding author: Dr. J. Avalose, Department of Applied Oral Sciences,

Received: 04-Sep-2023, Manuscript No. johh-23-116823; Editor assigned: 06-Sep-2023, Pre QC-No. j

a protective barrier, preventing tooth wear and minimizing the impact of nocturnal bruxism and other parafunctional habits. The therapeutic benefits of occlusal splints extend to the relief of headaches and facial pain. By optimizing occlusal relationships and reducing muscle tension, these devices contribute to the overall well-being of patients suffering from these symptoms. Occlusal splints are effective in preventing localized tooth wear caused by abnormal biting patterns. By distributing forces evenly across the dental arch, they help preserve tooth structure and prevent premature wear [5-7].

Composed of resilient materials, soft splints provide cushioning and are suitable for patients with muscle tenderness or sensitivity. Fabricated from rigid materials, hard splints are durable and effective in managing conditions requiring stabilization of the occlusion. Designed to reposition the mandible, ARS reduces stress on the TMJ and associated muscles. These splints provide even occlusal contacts, distributing forces evenly and preventing excessive wear on specific teeth. The success of occlusal splint therapy lies in the customization of these devices to the unique needs of each patient. A thorough diagnosis, including an assessment of occlusal relationships and joint function, is essential for optimal outcomes. Continuous monitoring and follow-up appointments are crucial to ensure the ongoing effectiveness of occlusal splints. Adjustments may be necessary to accommodate changes in the patient's condition or bite. Educating patients about the purpose, care, and potential side effects of occlusal splints is vital. This empowers patients to actively participate in their oral health management. In conclusion, occlusal splints emerge as versatile therapeutic tools with far-reaching implications in dental care. Their diverse applications, ranging from TMD management to preventive measures against tooth wear, underscore their significance in enhancing patient well-being. As dental practitioners navigate the nuances of occlusal splint therapy, a patient-centric and customized approach becomes paramount for achieving optimal clinical outcomes. In the realm of modern dentistry, occlusal splints stand as invaluable instruments, seamlessly blending therapeutic precision with patient-centric care.

The multifaceted applications of these devices, ranging from managing temporomandibular joint disorders (TMD) to preventing tooth wear, underscore their significance in promoting oral health and overall well-being. The clinical efficacy of occlusal splints is deeply rooted in their diverse designs, each tailored to address specific dental and orofacial conditions. From the resilience of soft splints providing cushioning to the stability offered by hard splints, and from the mandibular repositioning effects of anterior splints to the even force distribution facilitated by flat plane splints, the versatility of occlusal splints allows for a nuanced approach to patient care. As dental practitioners navigate the landscape of occlusal splint therapy, a patient-specific and holistic strategy emerges as paramount [8-10].

Conclusion

The success of these therapeutic interventions hinges on accurate diagnosis, meticulous treatment planning, and continuous patient

education. Regular follow-ups and adjustments ensure the sustained effectiveness of occlusal splints, reflecting a commitment to delivering comprehensive and evolving care. Beyond the technical aspects, occlusal splints offer a bridge to patient comfort. Bys, oiga.0-)]TJF u6