

## Introduction

Palliative care is a multidisciplinary method of treatment that aims to give patients and their families with terminal illnesses a better quality of life. e goal of palliative care is to alleviate pain and other symptoms, provide emotional and spiritual support, and help patients and their families navigate complex medical decisions. is review article provides an overview of the current state of palliative the establishment of hospice programs in the United States and the United Kingdom. Hospice care was initially designed for patients with terminal cancer, but has since expanded to include other life-limiting illnesses such as heart failure, chronic obstructive pulmonary disease (COPD), and dementia. In the 1990s, the World Health Organization (WHO) introduced the concept of palliative care, which emphasizes the importance of symptom management and interdisciplinary care for patients with serious illness. e core principles of palliative care are patient-centered care, interdisciplinary team-based approach, communication, and quality of life. Patient-centered care involves understanding the patient's goals and values, and tailoring care to meet their unique needs [3-5]. Interdisciplinary teams consist of healthcare professionals with di erent specialties (e.g., physicians, nurses, social workers, chaplains) who work together to provide comprehensive care. Communication is key to palliative care, including clear and honest discussions about prognosis, treatment options, and goals of care. Finally, quality of life is the primary goal of palliative care, and is achieved through symptom management, spiritual and emotional support, and attention to social and cultural factors.

Impact of palliative care on patient outcomes:

## Acknowledgement

Not applicable.

## Con ict of Interest

Author declares no con ict of interest.

## References

- FÉÅ Üæåà!\*&@ÅŠÉÅÖ^ÅŠi{æÅŠÉÅS}æ`|ÅØÉÅΥ^}\ÅÜÉÅŒ|ÅZÉÅ^okæ|É¢G€G€DÅÜ^å^,}i} Úæ|jiæciç^ÅÔæ!^ĚŒÅÞ^,ÅÔ[}•^}•`•ĒÓæ•^åÅÖ^,}ici[}čÅRÅÚæi}ÅÙ^ {]c[{ÅTæ}æ\*Å ΀KÅĨÍIÊĨIĖ
- GĖŁ Š[]^•k0⊤ĖŁÕ`æłâækVĖkUliç^štækÚkÇG€G€DkÕ^}^tælkÖæcækÚt[c^&ci[}kÜ^\*`|æci[}ki}k P^ælc®kÕli}i&•ĖkRkT^åkU^•ckIItkAFEJĖ
- HĚk Sæ {æ¦AŒPĚkÓæ´•^\_^i}}ÅÔĖkÔæ•æ!^cc\ÖRĚkÔ´!![, kÖÔĚkÖ´ā\*^[}\ÖRĚk^ckæjĚkÇG€G€DÅ Úcæ}åæ!å•ĖkŐĭà^ji}~elkæ}åkŰ`æjkc°kT^æ•`!^•k~[ikU`&&^•e-`]kU]^&&iæjc°ÅUæjjiæciç^Å Ôæ!^A0}c^\*!æci[}ki}c[kU}&[][\*^KkÔ`!!^}ckŒ]]![æ&@^•kæ}åkØ`c`!^^kÖi!^&ci[}•ÈkRÅ Ôji}kU}&[]kI] k[]iEJJIE
- $$\label{eq:likelihood} \begin{split} & \mathsf{I} \doteq \mathsf{P}^{ik} \ddot{\mathsf{O}} \\ & \mathsf{I} = \mathsf{O}^{ik} \dot{\mathsf{O}} \\ & \mathsf{O}^{ik} \\ &$$

- ĺĖĂ Üæ}\*æ&@æiảk ÖĖk Ù { áo@k VRĖk Sā { {^|k Ùk ÇGEFHDk Q}c^\*iæci}\*k Úæ|läæciç^k Ôæi^k ä}k U}&[|[\*^KkV@^kU}&[|[\*ŝ•ckæ•kækÚ!ä { æi^kÚæ|läæciç^kÔæi^kÚ![çšā^iĖkÔæ}&^ikRkFJKk HĨHE
- $\label{eq:constraint} \hat{U} = \frac{1}{2} \left[ \hat{U} = \hat{U} + \hat{$
- ĬĖŁ Ù&@^}\^\LŸĖLÔ;[\_\_|^^ĖTæc[\æLTĖLÖ[@æ}LÖĖLÜæà[\_ĹTYĖLÙ { åv@LÔÓĖL^dæjELQGEFIDL U}&[|[\*å•cl/Øæ&c[:+ĹV@æcl0';'^}&^L`O\_^\!æ)+Åc[ĹÙ`à•]^&&ac]LúÙ`á+]k@zkLÓD