

kY[\hi'cgg"=b\]gdfy]ci g'a YXW'\]gcfra\Y]gUgc' _bckb'k]h
\ndfWc Ygfmc Ya]U hfYUX Vmga j UjYbY UbX k]h' cYgd\U]hg
hfYUX Vm ca YdfUc Y' Cb' d\ngjW' Y Ua]bU]cbz kY Zi bX U '
Wb]a Yhf X]Ua Yhf'a Ugg]b'hYf[\]hg Va UbX]V' Uf'UfYUUbXgy YfU
]bzUWb]a Yf]Wna d\ bcXyg V]UfU'mI' hfUgi bX g'ckYX]b'hY
f[\]hVfj]W' UfYUgy YfU' dUhc'c]]WUXbcdUhmik]h]ffYi' Uf' UbX
\Yhf] Ybc] g'Wb]i fb' U'gkY' Ub]ffYi' Uf' dUf]Xa Ugg'a YUg f]b] '&*' 1
l' %+1 '&%W' Vi h]cb] infiltrative' 7ca di hX]ra c] fUd\mcZ]hY\YUX

dfc[fYggj YXlgUy" K \Yb`a cfY]bhbgj Y fY]a Ybg` \Uj Y VYb` i gX
g W'Ug<ndMf`7J58z7C8CL!A #J57`UbX'9DC7<zhYfYkUg'bc
difference]b`cj YU`a cftU]hm5` \Ug'WbbchVYI W'XXWbgXf]b[
hY i gY`cZ]bhbgj Y fY]a Ybg`]b` a cfY Uj UbWX` Wbg` 7Uj]`c
Yg]a UHX` hY CFF` U_{i++1} ` Vi h hY CG` Hja Y fYa U]bg` g'cfh U`%
a cbhg` A cgh Wbg` \Uj]b[` XjYX Xi Y lc`]bZM]ci g Wa d]W]cbg`cf

Citation: Jelloul E, Sattar L, De Wind A, Hermans P (2017) Plasmablastoid Lymphoma in Patients with Human Immunodeficiency Virus: A Diagnosis Challenge. J Infect Dis Pathol 2: 122.

DU(Y) cZ)

' % 5 !A U_] ' A A ž 7Ug] `c` »ž GcU b` »A ž FY 5` f8S%L < Ya U rdc] YHWW` ' & 7Ug] `c` »ž FYU] Ub` »@ Q_ c] ` K A ž K]bYf` 9G f8S%L 6cfl rca]V]b
HfUgd' U bU] cb` Zf` d' U g U VUg] W na d\ca U` U f] j] k" 6] c` 6` ccX Wa V] bU] cb` k]h]bZ g] cbU` Xcg] U X] g h X' 9DC 7 < Zf` h YHfYUa YbhcZ
A Uffck HfUgd' U bU] h8S % +!%, (" d' U g U VUg] W na d\ca U` 6f` »< Ua U c` %-. '.) &')"