Citation: Saiyad M, Abbott CH, Ray A, Vankar GK, Kumar A et al. (2013) Prolonged Grief Disorder among Indian Women Widowed by Communal Violence. J Palliat Care Med 3: 165. doi:10.4172/2165-7386.1000165

a a a
a a

Citation:

a a (a 5).

a a ( ), (735.44, 748.21) a , (1147.74, 1164.16), (108) -2.31, 0.023. a

Manifestations of Prolonged Grief Disorder	PGD Present, N=24N (%)
Separation distress	24 (100.0)
Confusion about one's life role	16 (66.7)
	5 (20.8)
Avoidance of reminders of the loss	7 (29.2)
Inability to trust others/ loneliness	24 (100.0)
Bitterness or anger related to the loss	20 (83.3)
	21 (87.5)
Numbness	17 (70.0)
	24 (100.0)
Stunned, dazed, or shocked by loss	16 (66.7)

Table 2. Manifestations of Prolonged Grief Disorder

	PGD Present (N = 24) M (SD)	PGD Not Present (N = 86) M (SD)	t	df	p
SRQ	15.58 (3.35)	12.28 (5.58)[b]	3.62	62.6	.001
DAS	38.21 (7.87)	28.71 (10.66)	4.81	49.1	.000
IES	46.29 (15.42)	29.48 (17.68)[c]	4.23	108	.000
PTSD	32.42 (7.48)	18.70 (12.89)	6.55	66.5	.000
Suicidal Ideation[a]	.75 (.44)	.42 (.50)	3.16	40.6	.003

Note. SRQ=Self Report Questionnaire Score; DAS= Disability Assessment Scale; IES= Imp8 DAS= Disability Assessment Scale;

Conclusions

Acknowledgments

This work was supported in part by grants from the National Cancer Institute (CA106370) and the National Institute of Mental Health (MH63892) to Dr. Holly Prigerson.

References

1. Harris G (2013) India's new focus on rape shows only the surface of women's perils.
2. Encyclopedia of Death and Dying: Widow Burning.
3. Kristof ND, WuDunn S (2009) Half the Sky: Turning Oppression into Opportunity for Women Worldwide. Alfred A. Knopf, NY.
4. of bereavement. Indian J Psychiatry 31: 187-195.
5. Prigerson HG, Shear MK, Jacobs SC, Reynolds CF, Maciejewski PK, et al. (1999) Consensus criteria for traumatic grief. A preliminary empirical test. Br J Psychiatry 174: 67-73.
6. Prigerson HG, Horowitz MJ, Jacobs SC, Parkes CM, Aslan M, et al. (2009) Prolonged grief disorder: Psychometric validation of criteria proposed for DSM-V and ICD-11. PLoS Med 6: e1000121.
7. Morina N, von Lersner U, Prigerson HG (2011) War and bereavement: consequences for mental and physical distress. PLoS One 6: e22140.
8. Kristensen P, Weisæth L, Heir T (2012) Bereavement and mental health after sudden and violent losses: a review. Psychiatry 75: 76-97.
9. Barnes JB, Dickstein BD, Maguen S, Neria Y, Litz BT (2012) The distinctiveness of prolonged grief and posttraumatic stress disorder in adults bereaved by the attacks of September 11th. J Affect Disord 136: 366-369.
10. Rodríguez Villar S, Sánchez Casado M, Prigerson HG, Mesa García S, Rodríguez Villar M, et al. (2012) Prolonged grief disorder in the next of kin of adult patients who die during or after admission to intensive care. Chest 141: 1635-1636.
11. Stammel N, Heeke C, Bockers E, Chhim S, Taing S, et al. (2013) Prolonged grief disorder three decades post loss in survivors of the Khmer Rouge regime in Cambodia. J Affect Disord 144: 87-93.
12. Prigerson H, Ahmed I, Silverman GK, Saxena AK, Maciejewski PK, et al. (2002) Rates and risks of complicated grief among psychiatric clinic patients in Karachi, Pakistan. Death Stud 26: 781-792.
13. Prigerson HG, Frank E, Kasl SV, Reynolds CF 3rd, Anderson B, et al. (1995) Complicated grief and bereavement-related depression as distinct disorders: preliminary empirical validation in elderly bereaved spouses. Am J Psychiatry 152: 22-30.
14. Prigerson HG, Bierhals AJ, Kasl SV, Reynolds CF 3rd, Shear MK, et al. (1996) Complicated grief as a disorder distinct from bereavement-related depression and anxiety: a replication study. Am J Psychiatry 153: 1484-1486.
15. Melhem NM, Day N, Shear MK, Day R, Reynolds CF 3rd, et al. (2004) Traumatic grief among adolescents exposed to a peer's suicide. Am J Psychiatry 161: 1411-1416.
16. Melhem NM, Porta G, Shamseddeen W, Walker Payne M, Brent DA (2011) Grief in children and adolescents bereaved by sudden parental death. Arch Gen Psychiatry 68: 911-919.
17. Boelen PA, van den Bout J, de Keijser J (2003) Traumatic grief as a disorder distinct from bereavement-related depression and anxiety: a replication study with bereaved mental health care patients. Am J Psychiatry 160: 1339-1341.
18. Ritsher JB, Neugebauer R (2002) Perinatal Bereavement Grief Scale: distinguishing grief from depression following miscarriage. Assessment 9: 31-40.
19. Ogrodniczuk JS, Piper WE, Joyce AS, Weideman R, McCallum M, et al. (2003) Differentiating symptoms of complicated grief and depression among psychiatric outpatients. Can J Psychiatry 48: 87-93.
20. van Doorn C, Kasl SV, Beery LC, Jacobs SC, Prigerson HG (1998) The depressive symptoms. J Nerv Ment Dis 186: 566-573.
21. McDermott OD, Prigerson HG, Reynolds CF 3rd, Houck PR, Dew MA, et al. (1997) Sleep in the wake of complicated grief symptoms: an exploratory study. Biol Psychiatry 41: 710-716.
22. Beery LC, Prigerson HG, Bierhals AJ, Santucci LM, Newsom JT, et al. (1997) Traumatic grief, depression and caregiving in elderly spouses of the terminally ill. Omega 35: 261-279.
23. Silverman GK, Jacobs SC, Kasl SV, Shear MK, Maciejewski PK, et al. (2000) Quality of life impairments associated with diagnostic criteria for traumatic grief. Psychol Med 30: 857-862.
24. Chen JH, Bierhals AJ, Prigerson HG, Kasl SV, Mazure CM, et al. (1999) Gender differences in the effects of bereavement-related psychological distress in health outcomes. Psychol Med 29: 367-380.

25. Reynolds CF 3rd, Perel JM, Frank E, Cornes C, Miller MD, et al. (1999) Three-