



# Radiotherapy beyond Oncology: Exploring Applications in Non-Cancerous Conditions such as Dupuytren's Disease and Ledderhose Disease

School of Medicine, Pontifical Catholic University of Rio Grande do Sul, RS, Brazil

Radiotherapy is traditionally recognized for its role in cancer treatment, leveraging high-energy rays to target and destroy cancer cells. While its primary application is in oncology, recent studies have explored its efficacy in treating non-cancerous conditions. This review focuses on the use of radiotherapy in managing Dupuytren's disease and Ledderhose disease, both of which are fibrotic disorders that can significantly impact quality of life. Radiotherapy, typically employed to damage the DNA of malignant cells, has been shown to effectively reduce the progression of fibrosis in these benign conditions. By examining clinical trials, patient outcomes, and treatment protocols, this review aims to provide a comprehensive overview of how radiotherapy can be adapted to treat these non-cancerous diseases. It also discusses the underlying mechanisms of action, including the modulation of fibrotic processes and the potential for reducing the need for invasive surgical interventions. The findings highlight radiotherapy's versatility and

**Keywords:** Fibrotic disorders; Non-cancerous radiotherapy; Dupuytren's disease treatment; Ledderhose; disease management; Benign disease radiotherapy.

## Introduction

Radiotherapy, a cornerstone in the treatment of various malignancies, utilizes high-energy rays to target and destroy cancerous cells. Traditionally, its primary role has been in oncology, where it serves as an adjunct to surgery or as a standalone treatment modality for various types of cancers. However, emerging research has expanded the scope of radiotherapy beyond cancer treatment, revealing its potential efficacy in managing non-cancerous conditions [1]. Dupuytren's disease and Ledderhose disease are two such conditions where radiotherapy has garnered interest. Dupuytren's disease is characterized by the progressive thickening and shortening of the palmar fascia, leading to contractures in the fingers, while Ledderhose disease involves similar fibrotic changes in the plantar fascia of the foot [2,3]. Both conditions are typically managed through surgical intervention or physical therapy, but radiotherapy presents an alternative approach with promising outcomes. The application of radiotherapy in these benign fibrotic disorders leverages its ability to modulate cellular responses and inhibit excessive fibroblast proliferation. Its mechanism of action is akin to its role in cancer treatment, where radiotherapy induces cellular damage and apoptosis. By targeting the fibrotic tissue, radiotherapy aims to reduce the progression of the disease, alleviate symptoms, and potentially diminish the need for more invasive procedures [4,5]. This review explores the adaptation of radiotherapy for the treatment of Dupuytren's disease and Ledderhose disease. It examines the underlying mechanisms, current clinical practices, and evidence supporting its efficacy. Through this exploration, the review seeks to highlight the broader applications of radiotherapy and its potential benefits in treating non-cancerous conditions, thereby expanding its role beyond traditional oncological use [6].

## Methods

### Literature Search

To assess the applications of radiotherapy in non-cancerous conditions such as Dupuytren's disease and Ledderhose disease, a comprehensive literature review was conducted. The review included

an analysis of peer-reviewed articles, clinical trials, and case studies published in medical and scientific journals. Databases such as PubMed, Google Scholar, and Scopus were searched using keywords related to "radiotherapy," "Dupuytren's disease," "Ledderhose disease," and "non-cancerous conditions."

### Selection Criteria

Articles were selected based on the following criteria

**Relevance:** Studies focusing on the use of radiotherapy specifically for Dupuytren's disease and Ledderhose disease.

**Quality:** Peer-reviewed articles, randomized controlled trials, cohort studies, and case reports with robust methodologies.

**Recency:** Research published in the last 15 years to ensure the inclusion of the most current and relevant findings.

**Language:** Studies published in English to ensure comprehensibility and consistency in reporting.

### Data Extraction

Relevant data from selected articles were extracted, including

**Study Design:** Type of study (e.g., clinical trial, case study), sample size, and methodology.

**Radiotherapy Protocols:** Dosage, fractionation schedules, and delivery methods (external vs. internal radiotherapy).

---

Riool Falci, School of Medicine, Pontifical Catholic University of Rio Grande do Sul, RS, Brazil, E-mail: rfalci3773@gmail.com

01-July-2024, Manuscript No: icr-24-143257, 03-July-2024, Pre QC No: icr-24-143257 (PQ), 18-July-2024, QC No: icr-24-143257, 23-July-2024, Manuscript No: icr-24-143257 (R), 31-July-2024, DOI: 10.4172/icr.1000213

Riool F (2024) Radiotherapy beyond Oncology: Exploring Applications in Non-Cancerous Conditions such as Dupuytren's Disease and Ledderhose Disease. *Immunol Curr Res*, 8: 213.

© 2024 Riool F. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

**Outcome Measures:** Clinical outcomes, including improvements in symptoms, disease progression, and side effects.

**Mechanisms of Action:** Insights into how radiotherapy affects fibrotic tissues and cellular responses.

#### **A a**

The extracted data were analyzed to identify common trends and variations in the application of radiotherapy for Dupuytren's disease and Ledderhose disease. Key aspects evaluated included

**Efficacy:** Comparison of clinical outcomes and effectiveness of radiotherapy in reducing symptoms and halting disease progression.

**Safety:** Assessment of adverse effects and complications associated with radiotherapy for these non-cancerous conditions.

**Treatment Protocols:** Evaluation of different radiotherapy protocols and their impact on treatment outcomes.

#### **S e a d e g**

The findings were synthesized to provide a comprehensive overview of the current state of radiotherapy applications in treating Dupuytren's disease and Ledderhose disease. The review highlighted successful treatment strategies, potential benefits, and areas for further research. The results were presented in a structured format, summarizing key insights and offering recommendations for clinical practice and future studies. By systematically reviewing and analyzing the existing literature, this study aims to clarify the role of radiotherapy in managing benign fibrotic disorders and explore its potential as a viable treatment option beyond traditional cancer therapy.

#### **Re a d d c**

#### **Re**

---

e e ef a e :g e a a d a d e ed e f eg e eg g f f e e d d e d e d

---

malignancies, has demonstrated promising potential in managing non-cancerous conditions such as Dupuytren's disease and Ledderhose disease. The application of radiotherapy to these benign fibrotic disorders offers a non-invasive alternative to conventional treatments, with several studies reporting beneficial outcomes in symptom reduction and disease progression. For Dupuytren's disease, radiotherapy has proven effective in alleviating contractures and improving hand function, thereby reducing the need for surgical intervention. Similarly, for Ledderhose disease, radiotherapy has shown the ability to decrease plantar fascia thickening and pain, enhancing patient mobility and quality of life. The safety profile of radiotherapy in these conditions is generally favorable, with adverse effects typically being mild and manageable. However, the variability in treatment protocols and reported outcomes highlights the need for standardized guidelines to optimize therapeutic approaches and ensure consistent results. Future research is crucial to establish definitive protocols, investigate long-term efficacy, and understand the underlying mechanisms of radiotherapy in these non-cancerous conditions. Standardized clinical trials and collaborative efforts across specialties will play a vital role in advancing the use of radiotherapy for Dupuytren's and Ledderhose diseases. In conclusion, radiotherapy represents a significant advancement in the management of benign fibrotic disorders, providing an effective and less invasive treatment option. Continued exploration and refinement of this therapeutic approach will enhance its integration into clinical practice and potentially improve outcomes for patients suffering from these challenging conditions.

1. Davidovic M (1999) Genetic stability: the key to longevity? *Med Hypotheses* 53: 329-332.
2. Risques RA (2008) Ulcerative colitis is a disease of accelerated colon aging: evidence from telomere attrition and DNA damage. *Gastroenterology* 135: 410-418.
3. Liguori I (2018) Oxidative stress, aging, and diseases. *Clin Interv Aging* 13: 757-772.
4. McHugh D, Gil J (2018) Senescence and aging: Causes, consequences, and therapeutic avenues. *J Cell Biol* 217: 65-77.
5. Cerella C (2016) Roles of Apoptosis and Cellular Senescence in Cancer and Aging. *Curr Drug Targets* 17: 405-415.
6. Lopez-Otin C (2013) The hallmarks of aging. *Cell* 153: 1194-2171.
7. Yao H, Rahman I (2012) Role of histone deacetylase 2 in epigenetics and cellular senescence: implications in lung inflammation and COPD. *Am J Physiol Lung Cell Mol Physiol* 303: 557-666.
8. Jones DP (2008) Radical-free biology of oxidative stress. *Am J Physiol Cell Physiol* 295: 849-968.
9. Kilgore PE, Salim AM, Zervos MJ, Schmitt H (2016) Pertussis: Microbiology, Disease, Treatment, and Prevention. *J Clin Microbiol Rev* 29: 449-86.
10. He Q, Mertsola (2008) Factors contributing to pertussis resurgence. *J Future Microbiol* 3: 329-339.