

Rare Primary Sub-Mucosal Rectal Squamous Cell Carcinoma Diagnosed with Endoscopic Ultrasound: Case Report and Literature Review

Prince Sethi^F, Khalil Aloreidi^F, Radowan Elnair^F, Usama Yousif^G, Muslim Atiq^H and Bhavesh Patel^H

Corresponding author: Uwe@uni-erlangen.de (U. Ölschläger); Tel.: +49-9131-852400; fax: +49-9131-852401.

Received date: 10/06/2018 Accepted date: 10/06/2018 Published date: 10/06/2018

Copyright: © AGENCE FRANCAISE D'EDUCATION NATIONALE

Abstract

References:

1. Kang H, O'Connell JB, Leonardi MJ, Maggard MA, McGory ML, et al. (2007) Rare tumors of the colon and rectum: A national review. *Int J Colorectal Dis* 22: 183-189.
2. Woods WG (1987) Squamous cell carcinoma of the rectum arising in an area of squamous metaplasia. *Eur J Surg Oncol* 13: 455-458.
3. Matsuda A, Takahashi K, Yamaguchi T (2009) HPV infection in an HIV-positive patient with primary squamous cell carcinoma of rectum. *Int J Clinical Oncol* 14: 551-554.
4. Grinvalsky HT, Helwig EB (1956) Carcinoma of the anorectal junction. I. Histological considerations. *Cancer* 9: 480-488.
5. Williams GT, Blackshaw AJ, Morson BC (1979) Squamous carcinoma of the colorectum and its genesis. *J Pathol* 129: 139-147.
6. Kulaylat MN, Doerr R, Butler B, Satchidanand SK, Singh A (1995) Squamous cell carcinoma complicating idiopathic Jbl Ua a Ucfm bowel