


# Review on Optimal Scapular Characteristic is Vital to Highest Quality Shoulder Function

Ivan Cavero\*

Department of Kinesiology, University of Santa Paula, Costa Rica

## Abstract

Rib fractures stay a frequent harm sample amongst trauma patients, and are related with substantial and well-documented morbidity and mortality. Although nevertheless controversial, a number of research inside the closing





\*Corresponding author: Ivan Cavero, Department of Kinesiology, University of Santa Paula, Costa Rica, E-mail: Ali789@gmail.com

Received: 02-May-2023, Manuscript No. jnp-23-103443; Editor assigned: 04-May-2023, PreQC No. jnp-23-103443 (PQ); Reviewed: 18-May-2023, QC No. jnp-23-103443; Revised: 24-May-2023, Manuscript No. jnp-23-103443 (R); Published: 31-May-2023, DOI: 10.4172/2165-7025.1000591

Citation: Cavero I (2023) Review on Optimal Scapular Characteristic is Vital to Highest Quality Shoulder Function. J Nov Physiother 13: 591.

Copyright: © 2023 Cavero I. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.



### Conclusion

Conclusion text area containing several lines of illegible text.

### Acknowledgment

### Conflict of Interest

### References

1. Z@æ)\*A YÉÀ T [•\ [ , æ: A ÜYÉÀ P~ \à ÖÉÀ CÉ:æ { • [ ] A ÜÉÀ CÉ: { æ } A ÜÖÀ ÉÀ ^okæ|ÉÀ ÇGÉÉ Ì DÀ OARSI recommendations for the management of hip and knee osteoarthritis, Part II: OARSI evidence-based, expert consensus guidelines. Osteoarthr Cartil 16:137-62.

2. Bijlsma JW, Berenbaum F, Lafeber FP (2011) Osteoarthritis: an update with relevance for clinical practice. *The Lancet* 377:2115-26.
  3. Obesity: risk factor and predictor of osteoarthritis. *Lijec Vjesn* 131: 22-6.
  4. Springer BD(2019) Management of the bariatric patient. What are the
-