

# Uki pkhkecpv" Equv/ewvvpki "kp"kpvgtpcn" Swcnkv { "Eqpvtqnu" hqt" Wtkpcn { uku

Baptist Christian Hospital, PO Ketkibari, Mission Charalie, Tezpur, District-Sonitpur, Assam 784001, India

Deori WC, Baptist Christian Hospital, PO Ketkibari, Mission Charalie, Tezpur, District-Sonitpur, Assam 784001, India, E- mail: htezpur.org

May 13, 2020;

May 29, 2020;

June 06, 2020

© 2020 Deori WC, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Point of Care Testing (POCT) urinalysis involves performing tests nearer to patients -point of care using reagent strips which allow measurements of the following in urine: bilirubin, blood, glucose, ketones, leukocytes, nitrite, pH, protein, specific gravity and urobilinogen. It is one of the most common tests carried out in medical practice. Internal Quality Control (IQC) strip is mandatory to ensure the quality of urinalysis and for accreditation of the test.

PC and NC strips for two hours resulting in g[b] Wbhcost reduction and making it U cfXUVYfor all in resource poor settings.

### **Funding**

Y work was funded by Managing Director of Baptist Christian