

The Efficacy of Self-administered Home Fecal Transplant in Inducing and Maintaining Remission in Crohn's Pancolitis with Perianal Fistulae

Introduction

Introduction text containing placeholder symbols (X) and some visible characters like (

Case Presentation

Case Presentation text containing placeholder symbols (X) and some visible characters like (e, c, be




Figure 2a: Post Fecal Transplant (Transverse colon post).



Figure 2b: Post Fecal Transplant (Pseudo-polyps transverse colon).




Figure 2c: Post Fecal Transplant (Terminal Ileum).




Figure 2d: Post Fecal Transplant (Rectum).

Abstract
Introduction
Methods
Results
Discussion
Conclusion
References


Conclusion

The study demonstrates the successful engraftment of fecal transplants in the transverse colon, terminal ileum, and rectum. The presence of pseudo-polyps in the transverse colon suggests a potential for mucosal changes following the procedure.

Self-administered Home FMT Protocol

The self-administered home FMT protocol involves the use of a nasogastric tube to deliver the transplant material. The protocol includes instructions on the timing and frequency of the procedure, as well as the use of antibiotics to prevent overgrowth of the transplant.

Citation:



References

1. Bak SH, Choi HH, Lee J, Mi Hee Kim, Youn Hee Lee, et al. (2017) Fecal microbiota transplantation for refractory Crohn's disease. *Intest Res* 15(2): 244-248.
2. Syal G, Kashani A, Shih DQ (2018) Fecal Microbiota Transplantation in Inflammatory Bowel Disease: A Primer for Internists. *Am J Med* 131(9): 1017-1024.
3. Colman RJ, Rubin DT (2014) Fecal microbiota transplantation as therapy for inflammatory bowel disease: a systematic review and meta-analysis. *J Crohns colitis* 8(12): 1569-1581.
4. He Z, Li P, Zhu J, Cui B, Xu L, et al. (2017) Multiple fresh fecal microbiota transplants induces and maintains clinical remission in Crohn's disease complicated with inflammatory mass. *Sci rep* 7(1): 4753.
5. Glauser W (2011) Risk and rewards of fecal transplants. *CMAJ* 183(5): 541-542.
6. Popa D, Laszlo M, Ciobanu L, Ucenic E, Mihalache M, et al. (2015) Self-Administered Home Series Fecal "Minitransplants" for Recurrent Clostridium difficile Infection on a Rectal Remnant. *JGLD* 24(4): 531-533.