



© 2016 Mun et al.; licensee Inspec. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0/>).

References

1. Strittmatter WJ, Saunders AM, Schmechel D, Pericak-Vance M, Enghild J, et al. (1993) Apolipoprotein E: High-avidity binding to beta-amyloid and increased frequency of type 4 allele in late-onset familial Alzheimer disease. *Proc Natl Acad Sci U S A* 90: 1977-1981.
2. Williamson J, Goldman J, Marder KS (2009) Genetic aspects of Alzheimer disease. *The neurologist* 15: 80-86.
3. Braak H, Braak E (1996) Evolution of the neuropathology of Alzheimer's disease. *Acta Neurol Scand Suppl* 165: 3-12.
4. G Litwack (2006) *Interleukins*. Academic Press, San Diego, London.
5. Wilson CJ, Finch CE, Cohen HJ (2002) Cytokines and cognition--the case for a head-to-toe inflammatory paradigm. *J Am Geriatr Soc* 50: 2041-2056.
6. Brocker C, Thompson D, Matsumoto A, Nebert DW, Vasiliou V (2010) Evolutionary divergence and functions of the human interleukin (IL) gene family. *Hum Genomics* 5: 30-55.
7. Tian M, Deng YY, Hou DR, Li W, Feng XL, et al. (2015) Association of IL-1, IL-18 and IL-33 gene polymorphisms with late-onset Alzheimer's disease in a Hunan Han Chinese population. *Brain Res* 1596: 136-145.