



1. *[Illegible text]*

*[Illegible text]*

*[Illegible text]*

*[Illegible text]*

*[Illegible text]*

*[Illegible text]*

*[Illegible text]*

*[Illegible text]*

*[Illegible text]*

*[Illegible text]*



2. Paterno E, Bohn R, Wahl P, Avorn J, Patrick AR, et al. (2010) Anticonvulsant medications and the risk of suicide, attempted suicide, or violent death. *JAMA* 303: 1401–1409.
3. Olesen JB, Hansen PR, Erdal J, Abildstrøm SZ, Weeke P, et al. (2010) Antiepileptic drugs and risk of suicide: a nationwide study. *Pharmacoepidemiol Ther* 19: 518–524.
4. Leipzig R, Cumming R, Tinetti M (1999) Drugs and falls in older people: a systematic review and meta-analysis. I. Psychotropic drugs. *J Am Geriatr Soc* 47: 30–39.
5. Gill S, Bronskill S, Normand S, Anderson GM, Sykora K, et al. (2007) Antipsychotic drug use and mortality in older adults with dementia. *Ann Intern Med* 146: 775–786.
6. Casey D, Haupt D, Newcomer J, Henderson DC, Sernyak MJ, et al. (2004) Antipsychotic-induced weight gain and metabolic abnormalities: implications for increased mortality in patients with schizophrenia. *J Clin Psychiatry* 65(Suppl 7): 4–18.
7. Schneider LS, Dagerman KS, Insel P (2005) Risk of Death with Atypical Antipsychotic Drug Treatment for Dementia. *JAMA* 294: 1934–1943.
8. Meijer WEE, Heerdink ER, Nolen WA, Herings RMC, Leufkens HGM, et al. (2004) Association of Risk of Abnormal Bleeding With Degree of Serotonin Reuptake Inhibition by Antidepressants. *Arch Intern Med* 164: 2367–2370.
9. Rasmussen K, Sampson S, Rummans T (2002) Electroconvulsive therapy and newer modalities for the treatment of medication-refractory mental illness. *Mayo Clin Proc* 77: 552–556.
10. Hamilton M (1960) A rating scale for depression. *J Neurol Neurosurg Psychiatr* 23: 56–62.
11. Cohen R, Brunoni A, Boggio P, Fregni F (2010) Clinical predictors associated with duration of repetitive transcranial magnetic stimulation treatment for remission in bipolar depression: a naturalistic study. *J Nerv Ment Dis* 198: 679–681.
12. DigheDeo D, Shah A (1998) Electroconvulsive Therapy in Patients with Long Bone Fractures. *J ECT* 14: 115–119.
13. Takahashi S, Mizukami K, Yasuno F, Asada T (2009) Depression associated with dementia with Lewy bodies (DLB) and the effect of somatotherapy. *Psychogeriatrics* 9: 56–61.