

# The Role of Bioaccumulation in Ecological Toxicology Implications for Wildlife and Human Health

Nagwa Yousif\*

at-s tability of p llutants

- (2006) Lateralized deficit of response inhibition in early-onset schizophrenia. *Psychol Med* 36: 495-505.
5. Benes FM, Vincent SL, Alsterberg G, Bird ED, SanGiovanni JP (1992) Increased GABAA receptor binding in superficial layers of cingulate cortex in schizophrenics. *J Neurosci* 12: 924-929.
  6. Bestelmeyer PE, Phillips LH, Crombiz C, Benson P, Clair DS (2009) The P300 as a possible endophenotype for schizophrenia and bipolar disorder: Evidence from twin and patient studies. *Psychiatry res* 169: 212-219.
  7. Blasi G, Goldberg TE, Weickert T, Das S, Kohn P, et al. (2006) Brain regions underlying response inhibition and interference monitoring and suppression. *Eur J Neurosci* 23: 1658-1664.
  8. Bleuler E (1958) *Dementia praecox or the group of schizophrenias*, New York (International Universities Press) 1958.
  9. Carter CS, Barch DM (2007) Cognitive neuroscience-based approaches to measuring and improving treatment effects on cognition in schizophrenia: the CNTRICS initiative. *Schizophr Bull* 33: 1131-1137.
  10. Chambers CD, Bellgrove MA, Stokes MG, Henderson TR, Garavan H, et al. (2006) Executive "brake failure" following deactivation of human frontal lobe. *J Cogn Neurosci* 18: 444-455.