When it was first prescribed by Enck in the 1990s, palliative sedation gained attention in literature and generated many ethical and legal controversies [6]. To address hesitation against palliative sedation, it was stated that “It’s that our anxiety that it may be confused with euthanasia encourages us to obscure or sanitize the features both practices share [8].

It’s not that terminal sedation is wrong [6]. With palliative sedation, many ethical and legal questions are raised – is it a hidden definition of active euthanasia and physician assisted suicide or a good palliative intervention? Will it shorten Patient’s life and hasten death? Does it reflect negatively on the patient’s family and health care providers? Will it be abused by the physicians? And, is it legally accepted? The prevalence of palliative sedation in clinical practice is not specifically known, but it is reported to be used in 16-36% of dying patients [9]. In Austria, the prevalence of palliative sedation used for cancer patients in palliative care settings is 22% [10] The purpose of the current literature review is to pinpoint the different opponents and proponents’ views regarding the use of palliative sedation for terminally ill patients, from both legal and ethical sides.

Opponents: In France, using palliative sedation for terminally ill patients is illegal, based on the patient’s rights and end of life law “Leonetti law- 2005-370"; this indicates that palliative sedation is a type of physician-assisted suicide and is considered a criminal act [11]. In 2014, French president Francois Hollande tried to convince the parliament to legalize palliative sedation, but it was totally rejected [12]. Moreover, in New Zealand, palliative sedation is a crime under

1. Chacanias PA (2014) Terminal sedation: A legal and necessary solace 13(7): 10-26.
2. Anquinet L, Brown J, Bruinsma SM, Deliens L, Van der Heide A, et al. (2014) Making sense of continuous sedation in end-of-life care for cancer patients: an interview study with bereaved relatives in three European countries. Supportive Care in Cancer 22: 3243-3252.
3. 3Bilsen J, Deliens L, Mortier F, Rys S (2014) The practice of continuous sedation until death in nursing homes in Flanders, Belgium: A nationwide study. Journal of the American Geriatrics Society 62: 1869-1876.
4. Billings JA (2014). Palliative Sedation. Palliative Care and Ethics 63(5) 209.
5. Helgesson G, Juth N, Lindblad A, Lynöe N, Sjöstrand M (2010) European Association for Palliative Care (EAPC) framework for palliative sedation: An ethical discussion. BMC Palliative Care 9: 20.
6. Cellarius V, Dean MM, Henry B, Librach SL (2012) Framework for continuous palliative sedation therapy in Canada. Journal of Palliative Medicine 15: 870-879.
7. https://owl.english.purdue.edu/owl/resource/685/05/.
8. Battin P (2008) Terminal sedation: Pulling the sheet over our eyes. Hastings Center Report 38: 27-30.
9. Seale C (2010) End-of-life decisions in the UK involving medical practitioners. Palliative Medicine 23: 198-204.
10. Masel E, Mayrhofer M, Schur S, Watzke H (2014) A nationwide survey on palliative sedation for terminally ill cancer patients in Austria. Comprehensive Cancer Center Vienna 29: 48-56.
11. Audibert G, Baumann A, Claudot F, Mertes PM, Puybasset L (2011) The ethical and legal aspects of palliative sedation in severely brain-injured patients: A French perspective. Philosophy, Ethics, and Humanities in Medicine 6(4): 1-6.
12. Dreyfuss D, Eon B, Graftieaux JP, Haddad L, Robert R, et al. (2014) End of life in the intensive care unit: should French law be adapted? Annals of Intensive Care 4(2): 6.
13. Forster E (2014) End of life and palliative care in New Zealand pediatric care settings. Pediatric Nursing in Australia: Principles for Practice 17(4): 141-161.
14. Abu-Alragheb S (2011). Medical and judicial laws in forensics, The University of Jordan.
15. Blanker MH, Brinkkemper T, Perez RS, Rietjens JA, Ribbe M, et al. (2010) Physicians' and nurses' experiences with continuous palliative