

Use of Psychoactive Substances by Future Health Professionals

Meire Luci Silva^{1*}, Kelli Cristina Corrêa², Elton Faria Bastos³ and Regina Cássia Rondina⁴

¹*Department of Physical Therapy and Occupational Therapy, State University of São Paulo (UNESP), Brazil*

²*Department of Philosophy and Sciences, State University of São Paulo (UNESP), Brazil*

³*State University of São Paulo (UNESP), Brazil*

⁴*Department of Educational Psychology, State University of São Paulo (UNESP), Brazil*

***Corresponding author:** Meire Luci Silva, Professor, Department of Physical Therapy and Occupational Therapy, State University of São Paulo, Brazil, Tel: 55 14 34021350; E-mail: meire.silva@unesp.br

Received date: August 11, 2018; **Accepted date:** October 01, 2018; **Published date:** October 08, 2018

Copyright: © 2018 Silva ML, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted

T e

Frequency	Alcohol	Tobacco	Marijuana	Amphetamine	Hallucinogens
Daily or almost every day	02 (03.8%)	03 (33.3%)	01 (07.7%)	-	-
Weekly	20 (38.6%)	-	01 (07.7%)	-	-
Monthly	15 (28.8%)	04 (44.5%)	06 (46.1%)	-	-
1 or 2 times	15 (28.8%)	02 (22.2%)	05 (38.5%)	01 (100.0%)	01 (100.0%)
Total	52	9	13	1	1

conf rm

T is

Ef ects

T e

Citation: Silva ML, Corrêa KC, Bastos EF, Rondina RC (2018) Use of Psychoactive Substances by Future Health Professionals. J Addict Res Ther 9: 365.
