

# Using A Sparse Multi-Objective Feature Selection Approach, A Model is developed for determining the Severity of Children's Foot and Ankle Deformities

Murtasim K\*

Department of Foot & Ankle, Afghanistan

## Abstract

Foot & ankle disfigurement is a habitual complaint with high prevalence and is stylish treated in nonage. still, the current individual procedures calculate on croaker discussion and empirical judgment, and (e evaluation model for children's bottom & ankle disfigurement through data mining and machine literacy technologies. Originally, it proposes the grading rules for children's bottom & ankle disfigurement infexibility grounded on assaying the being quantitative indicators and expert experience. also the 3D bottom scanner is used to collect the sample data including 30 bottom structure indicators. Eventually, an advanced meager multi-objective evolutionary algorithm (meager MO- FS) is present for point selection.

## Keywords:

## Introduction

Foot & ankle disfigurement is a habitual complaint with high prevalence and is stylish treated in nonage. still, the current individual procedures calculate on croaker discussion and empirical judgment, and (e evaluation model for children's bottom & ankle disfigurement through data mining and machine literacy technologies. Originally, it proposes the grading rules for children's bottom & ankle disfigurement infexibility grounded on assaying the being quantitative indicators and expert experience. also the 3D bottom scanner is used to collect the sample data including 30 bottom structure indicators. Eventually, an advanced meager multi-objective evolutionary algorithm (meager MO- FS) is present for point selection.

Foot & ankle disfigurement is a habitual complaint with high prevalence and is stylish treated in nonage. still, the current individual procedures calculate on croaker discussion and empirical judgment, and (e evaluation model for children's bottom & ankle disfigurement through data mining and machine literacy technologies. Originally, it proposes the grading rules for children's bottom & ankle disfigurement infexibility grounded on assaying the being quantitative indicators and expert experience. also the 3D bottom scanner is used to collect the sample data including 30 bottom structure indicators. Eventually, an advanced meager multi-objective evolutionary algorithm (meager MO- FS) is present for point selection.

## Discussion

Foot & ankle disfigurement is a habitual complaint with high prevalence and is stylish treated in nonage. still, the current individual procedures calculate on croaker discussion and empirical judgment, and (e evaluation model for children's bottom & ankle disfigurement through data mining and machine literacy technologies. Originally, it proposes the grading rules for children's bottom & ankle disfigurement infexibility grounded on assaying the being quantitative indicators and expert experience. also the 3D bottom scanner is used to collect the sample data including 30 bottom structure indicators. Eventually, an advanced meager multi-objective evolutionary algorithm (meager MO- FS) is present for point selection.

61 72 83 94 105 116 127 138 149 160 171 182 193 204 215 226 237 248 259 270 281 292 303 314 325 336 347 358 369 380 391 402 413 424 435 446 457 468 479 490 501 512 523 534 545 556 567 578 589 600 611 622 633 644 655 666 677 688 699 710 721 732 743 754 765 776 787 798 809 820 831 842 853 864 875 886 897 908 919 930 941 952 963 974 985 996