

Journal of Obesity and Metabolism

Citation: Koujalgi N of Age 5 t	//В, Adiga SV (2022) Waist o 15 Years. J Obes Metab	Circumference, Waist for 5: 111.	Height and Skinfold Thickn	ess, Percentile Curves in S	School-Going Children

Page 4 of 6

Boys Age (y)	5 th	10 th	25 th	50 th	75 th	85 th	90 th	95 th
7.go (y)								




Figure 3: Shows the percentile curves of waist circumference by height ratio in boys and girls.

References

- Bhave S, Bavdekar A, Otiv M (2004) IAP National Task Force for Childhood Prevention of Adult Diseases: Childhood Obesity. Indian Pediatr 41:559-575.
- 2. World Health Organization (2005) Chronic diseases a vital investment.
- 3. WHO (2016) Report of the commission on ending childhood obesity.
- Reilly JJ, Metheven E, McDowell ZC, Hacking B, Alexander D, et al. (2003) Health consequences of obesity. Arch Dis Child 88: 748-752.
- Zimmet P, Alberti G, Kaufman F, Tajima N, Silink M, et al. (2007) The metabolic syndrome in children and adolescents. The Lancet 369: 2059-2061.
- Monasta L, Lobstein T, Cole TJ, Vignerova J, Cattaneo A (2011) Defining overweight and obesity in pre-school children: IOTF reference or WHO standard? Obes Rev 12: 295-300.
- Khadilkar V, Banerjee M, Mohan V, Goyal JP, Khadilkar AV, et al. (2015) Revised IAP Growth Charts for Height, Weight and Body mass Index for 5 to 18-year-old Indian Children. Indian Pediatr 52: 47-55.
- Motswagle BS (2010) Comparison of waist circumference distribution of South African black children from different study populations. North West University.
- Garnett S, Woodhead H, Kemp A, Briody J, Baur LA, et al. (2000) Measurement of abdominal fat in children: MRI, DEXA and anthropometry. Sports Med Aus.
- Freedman DS, Dietz WH, Srinivasan SR, Berenson GS (1999) The Relation of Overweight to Cardiovascular Risk Factors Among Children and Adolescents: The Bogalusa Heart Study. Pediatrics 103: 1175-1182.
- Ashwell M (2005) Waist to height ratio and the Ashwell shape chart could predict the health risks of obesity in adults and children in all ethnic groups. Nutr Food Sci 35: 359-364.
- Reilly JJ, Wilson J, Durnin JV (1995) Determination of body composition from skinfold thickness: a validation study. Arch Dis Child 73: 305-310.
- Cole TJ, Bellizzi MC, Flegal KM, Dietz WH (2000) Establishing a standard defnition for child overweight and obesity worldwide: international survey. BMJ 320:1240-1243
- 14. Seidell JC, Doak CM, De Munter JS, Kuijper LD, Zonneveld C (2006) Cross-

Citation: Koujalgi MB, Adiga SV (2022) Waist Circumference,	Waist for Height and Skinfold Thi	nickness, Percentile Curves in	School-Going Children
of Age 5 to 15 Years, J Obes Metab 5: 111.	•		•

Page 6 of 6

sectional growth references and implications for the development of an International standard for school-aged children and adolescents. Food Nutr Bull 27:189-98.

15.