

Wear of Ceramic Materials Bulk-Fill

Francis Cornelis*

Department of Integrated Dentistry, Jagiellonian University, Krakow, Poland

***Corresponding author:** Francis Cornelis, Department of Integrated Dentistry, Jagiellonian University, Krakow, Poland, E-mail: conelis.f@gmail.com

Received: 09-May-2022, Manuscript No. did-22-63216; **Editor assigned:** 11-May-2022, PreQC No. did-22-63216 (PQ); **Reviewed:** 25-May-2022, QC No. did-22-63216; **Revised:** 30-May-2022, Manuscript No. did-22-63216 (R); **Published:** 06-Jun-2022, DOI: 10.4172/did.1000150

Citation: Cornelis F (2022) Wear of Ceramic Materials Bulk-Fill. Dent Implants Dentures 5: 150.

Copyright: © 2022 Cornelis F. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

traditional resin composites. Nevertheless, polymerization shrinkage stress, caused through the activation of the methacrylate-based monomers, can also purpose post-operative sensitivity and marginal leakage, growing the threat for secondary caries.

The goal of this study was once to elucidate the put on mechanism of bulk-fill /traditional hybrid composite layered system. It e.g. the large restorative area. Furthermore, bulk-fill composites are characterized by a high degree of conversion, which is not the case of traditional resin composites.

C i c f I e e

a a a a

References

1. Ilie N, Hickel R (2011) Resin composite restorative materials. Aust Dent J 56: 59-66.
2. Engelhardt F, Hahnel S, Preis V, Rosentritt M (2016) Comparison of fowable