

Alveolar Bone Loss is accelerated by Nasal Obstruction

Barreras Rascon*

Department of Oral Biochemistry, School of Dentistry, Jeonbuk National University, Baekje-daero, South Korea

*Corresponding author: Barreras Rascon, Department of Oral Biochemistry, School of Dentistry, Jeonbuk National University, Baekje-daero, South Korea, E-mail: barreras@gmail.com

Received: 13-Jan-2022, Manuscript No. did-22-51654; Editor assigned: 15-Jan-2022, PreQC No. did-22-51654 (PQ); Reviewed: 29-Jan-2022, QC No. did-22-51654; Revised: 03-Feb-2022, Manuscript No. did-22-51654 (R); Published: 10-Feb-2022, DOI: 10.4172/did.1000139

Citation:

Page 2 of 2

Conclusion

i d de a ed ha a a b c i i d ced h b ea hi g ed h ia i a a de. U de h ic c dii, a i c ea e i e c a di e e ia i i d ced b ac i a i f he i a a a h a ca e de c i e cha ge i he a e a b e.

References

 Spalding PM, Vig P (1988) Respiration characteristics in subjects diagnosed as having nasal obstruction. J Oral Maxillofac Surg 46: 189-195.

- 2. Pereira TC, Furlan R, Motta AR (2019) Relationship between mouth breathing etiology and maximum tongue pressure. Codas 31: e20180099.
- Eifan AO, Durham SR (2016) Pathogenesis of rhinitis. Clin Exp Allergy 46: 1139-1151.
- Sengupta P (2013) The laboratory rat: relating its age with human's. Int J Prev Med 24: 624-630.
- Zhang Y, Zhang L (2019) Increasing prevalence of allergic rhinitis in China. Allergy Asthma Immunol Res 11: 156-169.