

Body Dysmorphic Disorder: Perceiving and Treating Envisioned Ofensiveness

David Maryam*

Department of Psychiatry, Chaim Sheba Medical Center, Ramat-Gan, Israel

Body dysmorphic jumble (BDD), otherwise called dysmorphophobia, is a serious mental issue

KEYWORDS: Body dysmorphic jumble, Dysmorphophobia, Silly confusion

INTRODUCTION

Body dysmorphic jumble (BDD), otherwise called dysmorphophobia, and is an under recognized yet generally normal and extreme mental issue that happens all over the planet. Patients with BDD accept they look appalling or twisted (thinking, for instance, that they have an enormous and ‘unpleasant’ nose, or seriously scarred skin), when in all

REFERENCES

- Phillips KA, Menard W, Quinn E, et al. (2013). A 4-year prospective observational follow-up study of course and predictors of course in body dysmorphic disorder. *Psychol Med*, 43, 1109–1117.
- Phillips KA, McElroy SL, Keck PE, Jr, et al. (1993). Body dysmorphic disorder: 30 cases of imagined ugliness. *Am J Psychiatry*, 150, 302-308.
- Perugi G, Giannotti D, Frare F, et al. (1997). Prevalence, phenomenology, and comorbidity of body dysmorphic disorder (dysmorphophobia) in a clinical population. *Int J Psychiatry Clin Pract*, 1, 77-82.
- Thompson CM, Durrani AJ. (2007). An increasing need for early detection of body dysmorphic disorder by all specialties. , 61–62.
- Veale D, Gledhill LJ, Christodoulou P, et al. (2016). Body dysmorphic disorder in different settings: A systematic review and estimated weighted prevalence. , 168–86.