

• Modified radical mastectomy: In this surgery, the entire bone is removed along with lymph bumps under the arm or axillary lymph knot analysis.

Con ict of Interest

None

Acknowledgement

None

References

1. Sung Hyuna, Ferlay Jacques, Siegel Rebecca L, Laversanne Mathieu,

- Soerjomataram Isabelle, et al. (2021) Global Cancer Statistics 2020: GLOBOCAN Estimates of Incidence and Mortality Worldwide for 36 Cancers in 185 Countries. Ca Cancer J Clin 71(3): 209-249.
- Siu AL (2016) Screening for Breast Cancer: U.S. Preventive Services Task Force Recommendation Statement. Ann Intern Med 164(4): 279-296.
- Bray F, Ferlay J, Soerjomataram I, Siegel RL, Torre LA, et al. (2018) Global cancer statistics 2018: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. Ca Cancer J Clin 68(6): 394-424.
- Wu AH, Yu MC, Tseng CC, Pike MC (2008) Epidemiology of soy exposures and breast cancer risk. Br J Cancer 98(1): 9-14.
- Boyd NF, Guo H, Martin LJ, Sun L, Stone J, et al. (2007) Mammographic density and the risk and detection of breast cancer. N Engl J Med 356(3): 227-236.