

Non-Biodegradable Polymeric Waste

Michael Jim*

***Corresponding author:** Michael Jim, Department of Chemistry and Chemical Engineering, University of New Haven, Connecticut, USA, E-mail: jim.michael@unh.edu

Received: 04-Apr-2022, Manuscript No. JBRBD-22-61847; **Editor assigned:** 07-Apr-2022, PreQC No. JBRBD-22-61847 (PQ); **Reviewed:** 21-Apr-2022, QC No. JBRBD-22-61847; **Revised:** 23-Apr-2022, Manuscript No. JBRBD-22-61847 (R); **Published:** 30-Apr-2022, DOI: 10.4172/2155-6199.1000503

- Citation:** Panda A K, Alotaibi A, Kozhevnikov IV, Shiju N R (2020) Pyrolysis of plastics to liquid fuel using sulphated zirconium hydroxide catalyst. Waste Bio Valorization 11: 6337-6345.
- Jung S, Cho M, Kang B, Kim J (2010) Pyrolysis of a fraction of waste polypropylene and polyethylene for the recovery of BTX aromatics using fluidized bed reactor. Fuel Process Technol 91:277-284.
 - Lee K, Shin D (2007) Characteristics of liquid product from the pyrolysis of waste plastic mixture at low and high temperatures: influence of lapse time on reaction. Waste Manage 27:168-176.
 - Ciliz KN, Ekinci E, Snape C E (2004) Pyrolysis of virgin and waste polypropylene and its mixtures with waste polyethylene and polystyrene. Waste Manage 24:173-181.