

# Bipolar Disorder Contain Experiencing Fluctuations Temper Referred Hypomanic

David Hanton\*

*Psychosis Research Unit & Department of Affective Disorders, Aarhus University Hospital Psychiatry, UK*


## **Abstract**

As with physical conditions, bipolar sickness is probable to be impacted by way of weight loss plan and nutrition. Patients with bipolar ailment have been stated to have highly unhealthy diets, which may additionally in phase be the motive they additionally have an improved danger of metabolic syndrome and obesity. An enchantment in the fine of the food regimen ought to enhance a bipolar patient's ordinary fitness hazard profile; however it may additionally enhance their psychiatric outcomes. New insights into organic dysfunctions that may also be current in bipolar ailment have introduced new theoretic frameworks for perception the relationship between food regimen and bipolar disorder.

1-7.

0- 0%

20-  
-5( -3( )1 )6( )1



---

## Acknowledgement

## Conflict of Interest

## References

1. Brisa S, Esther J, Carla T, Maria R, Caterina DMB, et al. (2017) Cognitive Impairment in Bipolar Disorder: Treatment and Prevention Strategies. *Int J Neuropsychopharmacol* 20: 670-680.
2. Mark Z, Theresa AM (2013) The relationship between borderline personality disorder and bipolar disorder. *Dialogues Clin Neurosci* 15: 155-169.
3. Ursula MC, Bethany M, Brittany MN (2015) Diagnosis and treatment of patients with bipolar disorder: A review for advanced practice nurses. *J Am Assoc Nurse Pract* 27: 530-542.
4. Joel P, Donald WB (2015) Borderline personality disorder and bipolar disorder: what is the difference and why does it matter?. *J Nerv Ment Dis* 203: 3-7.
5. Robert LF, Ekaterina S, Eric AY, Andrea SY (2018) Progress in diagnosis and treatment of bipolar disorder among children and adolescents: an international perspective. *Evid Based Ment Health* 21: 177-181.
6. Caterina DMB, Maria R, Anabel MA, Esther J, Jose SM, et al. (2019) Improving Functioning, Quality of Life, and Well-being in Patients With Bipolar Disorder. *Int J Neuropsychopharmacol* 22: 467-477.
7. Michael JB, Mary VS, Joseph FG (2014) Adult ADHD vs. bipolar disorder in the DSM-5 era: a challenging differentiation for clinicians. *J Psychiatr Pract* 20: 428-437.
8. Marion L, David JK (2010) Bipolar disorder: new perspectives in health care